Author and Subject Index
VOLUME 31, 1991

VISION RESEARCH

An International Journal in

Visual Science

PART A

BIOCHEMISTRY
MOLECULAR & CELL BIOLOGY
ELECTROPHYSIOLOGY
MORPHOLOGY

PART B

PSYCHOPHYSICS
EYE MOVEMENTS
PHYSIOLOGICAL OPTICS

PERGAMON PRESS
OXFORD · NEW YORK
SEOUL · TOKYO

VISION RESEARCH

Founded by THORNE SHIPLEY

BOARD OF EDITORS

Distributing Editor

H. SPEKREIJSE
The Netherlands Ophthalmic Research Institute and
The Laboratory of Medical Physics
University of Amsterdam, P.O. Box 12011
1100 AA Amsterdam-Zuidoost
The Netherlands

Els Borghols—Editorial Assistant

Part A

Biochemistry, Molecular & Cell Biology, Electrophysiology, Morphology

P. A. HARGRAVE, Gainesville, Fla, U.S.A.
J. G. HOLLYFIELD, Houston, Tex., U.S.A.
A. HUGHES, Victoria, Australia
A. KANEKO, Tokyo, Japan
H. KOLB, Salt Lake City, Utah, U.S.A.
J. H. R. MAUNSELL, Rochester, N.Y., U.S.A.
D. L. SPARKS, Philadelphia, Pa, U.S.A.
H. SPEKREIJSE, Amsterdam, The Netherlands
D. VAN NORREN, Soesterberg, The Netherlands

Part B

Psychophysics, Eye Movements, Physiological Optics

J. BERGEN, Princeton, N.J., U.S.A.
H. COLLEWIJN, Rotterdam, The Netherlands
R. FOX, Nashville, Tenn., U.S.A.
J. KRAUSKOPF, New York, N.Y., U.S.A.
D. M. LEVI, Houston, Tex., U.S.A.
M. MORGAN, Edinburgh, U.K.
K. NAKAYAMA, Cambridge, Mass., U.S.A.
R. SEKULER, Concord, Mass., U.S.A.
D. Y. TELLER, Seattle, Wash., U.S.A.
B. A. WANDELL, Stanford, Calif., U.S.A.

Publishing Office: Pergamon Press plc, Pergamon House, Bampfylde Street, Exeter EX1 2AH, England (*Tel.* Exeter (0392) 51558; *Fax* 425370)

Subscription and Advertising Offices: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England (*Tel.* Oxford (0865) 794141); Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, NY 10523, U.S.A.

Published Monthly

Subscription Rates: Annual institutional subscription rate (1992): £585 (US$935). Two-year institutional rate (1992/93): £1111.50 (US$1776.50). *Vision Research* and the related publications *Clinical Vision Sciences* and *Progress in Retinal Research* are available on a joint subscription of £880 (US$1410), a saving of £105 (US$165) on the separate subscription prices. Sterling prices are definitive. U.S. dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan are available on request.

Back Issues

Back issues of all previously published volumes, in both hard copy and microform, are available direct from Pergamon Press offices.

Copyright © 1991 Pergamon Press plc

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appears in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Photocopying information for users in the U.S.A. The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the U.S. Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970, U.S.A. *Permission for other use.* The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-fee Code for this publication is: 0042-6989/91 $3.00 + 0.00

♾™ The text paper used in this publication meets the minimum requirements of American National Standard for Information Sciences—Permanence of Paper for Printed Library Materials, ANSI Z39.48-1984.

AUTHOR INDEX

ABADI, R.V.
Abadi, R.V. and Pascal, E. The effects of simultaneous central and peripheral field motion on the optokinetic response 31: 2219
Abadi, R.V. and Pascal, E. Visual resolution limits in human albinism 31: 1445
Worfolk, R. and Abadi, R.V. Quick phase programming and saccadic re-orientation in congenital nystagmus 31: 1819
ADAMS, C.W.
Adams, C.W. and Johnson, C.A. Steady-state and dynamic response properties of the Mandelbaum effect 31: 751
ADAMUS, G.
Adamus, G., Zam, Z.S., Arendt, A., Palczewski, K., McDowell, J.H. and Hargrave, P.A. Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
ALBRECHT, D.G.
Skottun, B.C., De Valois, R.L., Grosof, D.H., Movshon, J.A., Albrecht, D.G. and Bonds, A.B. Classifying simple and complex cells on the basis of response modulation 31: 1079
ALLART, I.
Rudolf, G., Wioland, N. and Allart, I. Is dopamine involved in the generation of the light peak in the intact chicken eye? 31: 1841
VAN ALPHEN, G.W.H.M.
van Alphen, G.W.H.M. and Graebel, W.P. Elasticity of tissues involved in accommodation 31: 1417
ANDERSEN, R.A.
Gnadt, J.W., Bracewell, R.M. and Andersen, R.A. Sensorimotor transformation during eye movements to remembered visual targets 31: 693
Treue, S., Husain, M. and Andersen, R.A. Human perception of structure from motion 31: 59
ANDO, H.
Ando, H., Seidou, M. and Kito, Y. Light-induced, GTP-binding protein mediated membrane currents of *Xenopus* oocytes injected with rhodopsin of cephalopods 31: 1087
Nakamura, M., Hanawa, I. and Ando, H. A new cornea-positive component to the ERG of the aspartate-treated frog retina? 31: 1669
ANSTIS, S.
Cavanagh, P. and Anstis, S. The contribution of color to motion in normal and color-deficient observers 31: 2109
ARENDT, A.
Adamus, G., Zam, Z.S., Arendt, A., Palczewski, K., McDowell, J.H. and Hargrave, P.A. Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
AREZZO, J.C.
Schroeder, C.E., Tenke, C.E., Givre, S.J., Arezzo, J.C. and Vaughan, H.G. Jr. Striate cortical contribution to the surface-recorded pattern-reversal VEP in the alert monkey 31: 1143
ARMSTRONG, C.A.
Suter, S., Armstrong, C.A., Suter, P.S. and Powers, J.C. Spatial-frequency-tuned attenuation and enhancement of the steady-state VEP by grating adaptation 31: 1167
ARMSTRONG, R.A.
Armstrong, R.A., Slaven, A. and Harding, G.F.A. Visual evoked magnetic fields to flash and pattern in 100 normal subjects 31: 1859
ASPLUND, R.
Magnussen, S., Greenlee, M.W., Asplund, R. and Dyrnes, S. Stimulus-specific mechanisms of visual short-term memory 31: 1213

BABURINA, E.A.
Govardovskii, V.I., Byzov, A.L., Zueva, L.V., Polisczuk, N.A. and Baburina, E.A. Spectral characteristics of photoreceptors and horizontal cells in the retina of the Siberian sturgeon *Acipenser baeri* Brandt 31: 2047

BACKHAUS, W.
Backhaus, W. Color opponent coding in the visual system of the honeybee 31: 1381
BADCOCK, D.R.
Badcock, D.R., Wong, T.L. and Coutant, B.E. The impact of jitter on separation discrimination: combination of monocular inputs 31: 247
Mattingley, J.B. and Badcock, D.R. The shift effect can be elicited with both foveal and peripheral masks 31: 1251
BAITCH, L.W.
Srebro, R. and Baitch, L.W. Image segmentation and VEP topography 31: 2039
BAKER, C.L. JR.
Baker, C.L. Jr., Friend, S.M. and Boulton, J.C. Optimal spatial displacement for direction selectivity in cat visual cortex neurons 31: 1659
Boulton, J.C. and Baker, C.L. Jr. Motion detection is dependent on spatial frequency not size 31: 77
BANKS, M.S.
Bennett, P.J. and Banks, M.S. The effects of contrast, spatial scale, and orientation on foveal and peripheral phase discrimination 31: 1759
BARÓN, M.
Villa, P., Bedmar, M.D. and Barón M. Studies on rod horizontal cell *S*-potential in dependence of the dark/light adapted state: a comparative study in *Cyprinus carpio* and *Scyliorhinus canicula* retinas 31: 425
BAUMAN, L.A.
Bauman, L.A. and Bonds, A.B. Inhibitory refinement of spatial frequency selectivity in single cells of the cat striate cortex 31: 933
BAYLISS, S.C.
Robinson, J., Bayliss, S.C. and Fielder, A.R. Transmission of light across the adult and neonatal eyelid (*in vivo*) 31: 1837
BEDMAR, M.D.
Villa, P., Bedmar, M.D. and Barón M. Studies on rod horizontal cell *S*-potential in dependence of the dark/light adapted state: a comparative study in *Cyprinus carpio* and *Scyliorhinus canicula* retinas 31: 425
BENNETT, P.J.
Bennett, P.J. and Banks, M.S. The effects of contrast, spatial scale, and orientation on foveal and peripheral phase discrimination 31: 1759
BENOIT, J.
Lachapelle, P., Benoit, J., Cheema, D. and Molotchnikoff, S. Temporal relationship between the ERG and geniculate unit activity in rabbit: influence of background luminance 31: 2033
BERARDI, N.
Berardi, N. and Fiorentini, A. Visual field asymmetries in pattern discrimination: a sign of asymmetry in cortical visual field representation? 31: 1831
VAN DEN BERG, A.V.
van den Berg, A.V. and van de Grind, W.A. Conditions for the detection of coherent motion 31: 1039
VAN DEN BERG, T.J.T.P.
van den Berg, T.J.T.P., IJspeert, J.K. and de Waard, P.W.T. Dependence of intraocular straylight on pigmentation and light transmission through the ocular wall 31: 1361
BERGEN, J.R.
Landy, M.S. and Bergen, J.R. Texture segregation and orientation gradient 31: 679
BERSON, E.L.
Pawlyk, B.S., Sandberg, M.A. and Berson, E.L. Effects of IBMX on the rod ERG of the isolated perfused cat eye: antagonism with light, calcium or L-*cis*-diltiazem 31: 1093
BEZERIANOS, A.G.
Bezerianos, A.G. and Papathanasopoulos, P.G. A programmable digital video pattern generator controlled by microprocessor for basic research and clinical applications 31: 1563
BILLOCK, V.A.
Billock, V.A. The relationship between simple and double opponent cells 31: 33
BILOTTA, J.
Bilotta, J. and Powers, M.K. Spatial contrast sensitivity of goldfish: mean luminance, temporal frequency and a new psychophysical technique 31: 577

BINNINGTON, J.
Buckingham, T., Watkins, R. and Binnington, J. The effect of spatial parameters on oscillatory movement displacement thresholds 31: 327
BISCHOF, W.F.
Bischof, W.F. and Di Lollo, V. On the half-cycle displacement limit of sampled directional motion 31: 649
Di Lollo, V. and Bischof, W.F. Yes, there is a half-cycle displacement limit for directional motion detection 31: 763
BLAKE, R.
Blake, R. and Yang, Y. Spatial frequency tuning of human stereopsis 31: 1177
Blake, R., Yang, Y. and Wilson, H.R. On the coexistence of stereopsis and binocular rivalry 31: 1191
Wiesenfelder, H. and Blake, R. Apparent motion can survive binocular rivalry suppression 31: 1589
BLES, W.
de Graaf, B., Wertheim, A.H. and Bles, W. The Aubert-Fleischl paradox does appear in visually induced self-motion 31: 845
BOHDANECKY, Z.
Mateeff, S., Bohdanecky, Z., Hohnsbein, J., Ehrenstein, W.H. and Yakimoff, N. A constant latency difference determines directional anisotropy in visual motion perception 31: 2235
Mateeff, S., Yakimoff, N., Hohnsbein, J., Ehrenstein, W.H., Bohdanecky, Z. and Radil, T. Selective directional sensitivity in visual motion perception 31: 131
BONDS, A.B.
Bauman, L.A. and Bonds, A.B. Inhibitory refinement of spatial frequency selectivity in single cells of the cat striate cortex 31: 933
Pang, X.D. and Bonds, A.B. Visual evoked potential responses of the anesthetized cat to contrast modulation of grating patterns 31: 1509
Skottun, B.C., De Valois, R.L., Grosof, D.H., Movshon, J.A., Albrecht, D.G. and Bonds, A.B. Classifying simple and complex cells on the basis of response modulation 31: 1079
BONGIORNO, A.
Bongiorno, A., Tesoriere, L., Livrea, M.A. and Pandolfo, L. Distribution of Vitamin A compounds in bovine eyes after bleaching adaptation 31: 1099
BONNET, C.
Dresp, B. and Bonnet, C. Psychophysical evidence for low-level processing of illusory contours and surfaces in the Kanizsa square 31: 1813
BOULTON, J.C.
Baker, C.L. Jr., Friend, S.M. and Boulton, J.C. Optimal spatial displacement for direction selectivity in cat visual cortex neurons 31: 1659
Boulton, J.C. and Baker, C.L. Jr. Motion detection is dependent on spatial frequency not size 31: 77
BOWMAKER, J.K.
Bowmaker, J.K., Thorpe, A. and Douglas, R.H. Ultraviolet-sensitive cones in the goldfish 31: 349
BRACEWELL, R.M.
Gnadt, J.W., Bracewell, R.M. and Andersen, R.A. Sensorimotor transformation during eye movements to remembered visual targets 31: 693
BRADDICK, O.J.
Braddick, O. and Cleary, R. Is there a half-cycle displacement limit for directional motion detection? 31: 761
Snowden, R.J. and Braddick, O.J. The temporal integration and resolution of velocity signals 31: 907
Stephenson, C.M.E., Knapp, A.J. and Braddick, O.J. Discrimination of spatial phase shows a qualitative difference between foveal and peripheral processing 31: 1315
BRADLEY, A.
Ye, M., Bradley, A., Thibos, L.N. and Zhang, X. Interocular differences in transverse chromatic aberration determine chromostereopsis for small pupils 31: 1787
BRAMANTI, F.
Porciatti, V., Hodos, W., Signorini, G. and Bramanti, F. Electroretinographic changes in aged pigeons 31: 661
BREITMEYER, B.G.
Williams, M.C., Breitmeyer, B.G., Lovegrove, W.J. and Gutierrez, C. Metacontrast with masks varying in spatial frequency and wavelength 31: 2017

BREMER, D.L.
Leguire, L.E., Zaff, B.S., Freeman, S., Rogers, G.L., Bremer, D.L. and Wali, N. Contrast sensitivity of optokinetic nystagmus 31: 89
BRENNER, E.
Brenner, E. Judging object motion during smooth pursuit eye movements: the role of optic flow 31: 1893
BRESSAN, P.
Bressan, P. A context-dependent illusion in the perception of velocity 31: 333
Vallortigara, G. and Bressan, P. Occlusion and the perception of coherent motion 31: 1967
BRIDGEMAN, B.
Bridgeman, B. and Stark, L. Ocular proprioception and efference copy in registering visual direction 31: 1903
Macknik, S.L., Fisher, B.D. and Bridgeman, B. Flicker distorts visual space constancy 31: 2057
BUCHSBAUM, G.
Courtney, S.M. and Buchsbaum, G. Temporal differences between color pathways within the retina as a possible origin of subjective colors 31: 1541
BUCKINGHAM, T.
Buckingham, T., Watkins, R. and Binnington, J. The effect of spatial parameters on oscillatory movement displacement thresholds 31: 327
BURR, D.C.
Burr, D.C. and Wijesundra, S.-A. Orientation discrimination depends on spatial frequency 31: 1449
BUSTAMANTE, S.
Bustamante, S. and Gutierrez, O.C. Population study of horizontal cells in live carp retinas using micro-injections of horseradish peroxidase 31: 1107
BUTTERY, R.G.
Buttery, R.., Hinrichsen, C.F.L., Weller, W.L. and Haight, J.R. How thick should a retina be? A comparative study of mammalian species with and without intraretinal vasculature 31: 169
BYZOV, A.L.
Govardovskii, V.I., Byzov, A.L., Zueva, L.V., Polisczuk, N.A. and Baburina, E.A. Spectral characteristics of photoreceptors and horizontal cells in the retina of the Siberian sturgeon *Acipenser baeri* Brandt 31: 2047

CANNON, M.W.
Cannon, M.W. and Fullenkamp, S.C. A transducer model for contrast perception 31: 983
Cannon, M.W. and Fullenkamp, S.C. Spatial interactions in apparent contrast: inhibitory effects among grating patterns of different spatial frequencies, spatial positions and orientations 31: 1985
CAVANAGH, P.
Cavanagh, P. and Anstis, S. The contribution of color to motion in normal and color-deficient observers 31: 2109
CHANTEAU, P.-L.
Troscianko, T., Montagnon, R., Le Clerc, J., Malbert, E. and Chanteau, P.-L. The role of colour as a monocular depth cue 31: 1923
CHAUDHURI, A.
Chaudhuri, A. Eye movements and the motion aftereffect: alternatives to the induced motion hypothesis 31: 1639
CHEEMA, D.
Lachapelle, P., Benoit, J., Cheema, D. and Molotchnikoff, S. Temporal relationship between the ERG and geniculate unit activity in rabbit: influence of background luminance 31: 2033
CHEUNG, B.S.K.
Cheung, B.S.K. and Howard, I.P. Optokinetic torsion: dynamics and relation to circularvection 31: 1327
CLEARY, R.
Braddick, O. and Cleary, R. Is there a half-cycle displacement limit for directional motion detection? 31: 761
CLEMENT, R.A.
Clement, R.A. Natural coordinates for specification of eye movements 31: 2029

COLES, J.A.
Vallet, A.M. and Coles, J.A. A method for estimating the minimum visual stimulus that evokes a behavioural response in the drone, *Apis mellifera* 31: 1453
COLLEWIJN, H.
Lemij, H.G. amd Collewijn, H. Long-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1939
Lemij, H.G. amd Collewijn, H. Short-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1955
CONTE, M.M.
Victor, J.D. and Conte, M.M. Spatial organization of nonlinear interactions in form perception 31: 1457
COPPOLA, R.
Myslobodsky, M.S., Glicksohn, J., Coppola, R. and Weinberger, D.R. Occipital lobe morphology in normal individuals assessed by magnetic resonance imaging (MRI) 31: 1677
CORMACK, L.K.
Cormack, L.K., Stevenson, S.B. and Schor, C.M. Interocular correlation, luminance contrast and cyclopean processing 31: 2195
Stevenson, S.B., Cormack, L.K. and Schor, C.M. Depth attraction and repulsion in random dot stereograms 31: 805
COURTNEY, S.M.
Courtney, S.M. and Buchsbaum, G. Temporal differences between color pathways within the retina as a possible origin of subjective colors 31: 1541
COUTANT, B.E.
Badcock, D.R., Wong, T.L. and Coutant, B.E. The impact of jitter on separation discrimination: combination of monocular inputs 31: 247
CRAWFORD, T.J.
Lueck, C.J., Crawford, T.J., Hansen, H.C. and Kennard, C. Increase in saccadic peak velocity with increased frequency of saccades in man 31: 1439
CRESCITELLI, F.
Crescitelli, F. and Karvaly, B. The gecko visual pigment: the anion hypsochromic effect 31: 945
Crescitelli, F. The scotopic photoreceptors and their visual pigments of fishes: functions and adaptations 31: 339
CUMMINGS, R.W.
Whittaker, S.G., Cummings, R.W. and Swieson, L.R. Saccade control without a fovea 31: 2209

DAVILA, K.D.
Davila, K.D. and Geisler, W.S. The relative contributions of pre-neural and neural factors to areal summation in the fovea 31: 1369
DE GRIP, W.J.
Partridge, J.C. and De Grip, W.J. A new template for rhodopsin (vitamin A_1 based) visual pigments 31: 619
DE VALOIS, K.K.
De Valois, R.L. and De Valois, K.K. Vernier acuity with stationary moving Gabors 31: 1619
DE VALOIS, R.L.
De Valois, R.L. and De Valois, K.K. Vernier acuity with stationary moving Gabors 31: 1619
Kooi, F.L., De Valois, R.L. and Switkes, E. Spatial localization across channels 31: 1627
Skottun, B.C., De Valois, R.L., Grosof, D.H., Movshon, J.A., Albrecht, D.G. and Bonds, A.B. Classifying simple and complex cells on the basis of response modulation 31: 1079
Skottun, B.C., Grosof, D.H. and De Valois, R.L. On the responses of simple and complex cells to random dot patterns 31: 43
DEARRY, A.
Dearry, A. Light onset stimulates tryosine hydroxylase activity in isolated teleost retinas 31: 395
DePRIEST, D.D.
Stockman, A., MacLeod, D.I.A. and DePriest, D.D. The temporal properties of the human short-wave photoreceptors and their associated pathways 31: 189
DERRINGTON, A.
Derrington, A. and Suero, M. Motion of complex patterns is computed from the perceived motions of their components 31: 139

DI LOLLO, V.
Bischof, W.F. and Di Lollo, V. On the half-cycle displacement limit of sampled directional motion 31: 649
Di Lollo, V. and Bischof, W.F. Yes, there is a half-cycle displacement limit for directional motion detection 31: 763
DICK, M.
Dick, M., Ullman, S. and Sagi, D. Short- and long-range processes in structure-from-motion 31: 2025
DJAMGOZ, M.B.A.
Kirsch, M., Wagner, H.-J. and Djamgoz, M.B.A. Dopamine and plasticity of horizontal cell function in the teleost retina: regulation of a spectral mechanism through D_1-receptors 31: 401
Low, J.C., Yamada, M. and Djamgoz, M.B.A. Voltage clamp study of electrophysiologically-identified horizontal cells in carp retina 31: 437
Vallerga, S. and Djamgoz, M.B.A. Ganglion cells in the goldfish retina: correlation of light-evoked response and morphology 31: 487
DOSHER, B.A.
Landy, M.S., Dosher, B.A., Sperling, G. and Perkins, M.E. The kinetic depth effect and optic flow - II. First- and second-order motion 31: 859
DOUGLAS, R.H.
Bowmaker, J.K., Thorpe, A. and Douglas, R.H. Ultraviolet-sensitive cones in the goldfish 31: 349
DRESP, B.
Dresp, B. and Bonnet, C. Psychophysical evidence for low-level processing of illusory contours and surfaces in the Kanizsa square 31: 1813
DUNCAN, G.C.
Smith, E.L. III, Fox, D.A. and Duncan, G.C. Refractive-error changes in kitten eyes produced by chronic ON-channel blockade 31: 833
DUYSENS, J.
Duysens, J., Gulyás, B. and Maes, H. Temporal integration in cat visual cortex: a test of Bloch's law 31: 1517
DYRNES, S.
Magnussen, S., Greenlee, M.W., Asplund, R. and Dyrnes, S. Stimulus-specific mechanisms of visual short-term memory 31: 1213
D'ZMURA, M.
D'Zmura, M. Color in visual search 31: 951

EDGAR, G.K.
Smith, A.T. and Edgar, G.K. The separability of temporal frequency and velocity 31: 321
EHRENSTEIN, W.H.
Mateeff, S., Bohdanecky, Z., Hohnsbein, J., Ehrenstein, W.H. and Yakimoff, N. A constant latency difference determines directional anisotropy in visual motion perception 31: 2235
Mateeff, S., Yakimoff, N., Hohnsbein, J., Ehrenstein, W.H., Bohdanecky, Z. and Radil, T. Selective directional sensitivity in visual motion perception 31: 131
EJIMA, Y.
Ohtani, Y., Ejima, Y. and Nishida, S.-y. Contribution of transient and sustained responses to the perception of apparent motion 31: 999
ENDLER, J.A.
Endler, J.A. Variation in the appearance of guppy color patterns to guppies and their predators under different visual conditions 31: 587
ENRIGHT, J.T.
Enright, J.T. Exploring the third dimension with eye movements: better than stereopsis 31: 1549
Enright, J.T. Stereo-thresholds: simultaneity, target proximity and eye movements 31: 2093
ESKEW, R.T. JR.
Stromeyer, C.F. III, Eskew, R.T., Kronauer, R.E. and Spillmann, L. Temporal phase response of the short-wave cone signal for color and luminance 31: 787

FAHLE, M.
Fahle, M. Parallel perception of vernier offsets, curvature, and chevrons in humans 31: 2149
Fahle, M. Psychophysical measurement of eye drifts and tremor by dichoptic or monocular vernier acuity 31: 209
FARELL, B.
Krauskopf, J. and Farell, B. Vernier acuity: effects of chromatic content, blur and contrast 31: 735
FERRERA, V.P.
Ferrera, V.P. and Wilson, H.R. Perceived speed of moving two-dimensional patterns 31: 877
FIELDER, A.R.
Robinson, J., Bayliss, S.C. and Fielder, A.R. Transmission of light across the adult and neonatal eyelid (*in vivo*) 31: 1837
FINLAY, D.C.
Manning, M.L., Finlay, D.C. and Fulham, W.R. Time-till-breakdown and VEP measures of short-range apparent motion 31: 1865
FINOCCHIO, D.V.
Finocchio, D.V., Preston, K.L. and Fuchs, A.F. Infant eye movements: quantification of the vestibulo-ocular reflex and visual-vestibular interactions 31: 1717
FIORENTINI, A.
Berardi, N. and Fiorentini, A. Visual field asymmetries in pattern discrimination: a sign of asymmetry in cortical visual field representation? 31: 1831
FISHER, B.D.
Macknik, S.L., Fisher, B.D. and Bridgeman, B. Flicker distorts visual space constancy 31: 2057
FITE, K.V.
Hodos, W., Miller, R.F. and Fite, K.V. Age-dependent changes in visual acuity and retinal morphology in pigeons 31: 669
FITZGIBBON, F.
Osborne, N.N., FitzGibbon, F. and Schwartz, G. Muscarinic acetylcholine receptor-mediated phosphoinositide turnover in cultured human retinal pigment epithelium cells 31: 1119
FOX, D.A.
Smith, E.L. III, Fox, D.A. and Duncan, G.C. Refractive-error changes in kitten eyes produced by chronic ON-channel blockade 31: 833
FRANSSILA, R.
Raninen, A., Franssila, R. and Rovamo, J. Critical flicker frequency to red targets as a function of luminance and flux across the human visual field 31: 1875
FREEMAN, A.W.
Freeman, A.W. Spatial characteristics of the contrast gain control in the cat's retina 31: 775
FREEMAN, S.
Leguire, L.E., Zaff, B.S., Freeman, S., Rogers, G.L., Bremer, D.L. and Wali, N. Contrast sensitivity of optokinetic nystagmus 31: 89
FRIEND, S.M.
Baker, C.L. Jr., Friend, S.M. and Boulton, J.C. Optimal spatial displacement for direction selectivity in cat visual cortex neurons 31: 1659
FUCHS, A.F.
Finocchio, D.V., Preston, K.L. and Fuchs, A.F. Infant eye movements: quantification of the vestibulo-ocular reflex and visual-vestibular interactions 31: 1717
FULD, K.
Fuld, K. The contribution of chromatic and achromatic valence to spectral saturation 31: 237
FULHAM, W.R.
Manning, M.L., Finlay, D.C. and Fulham, W.R. Time-till-breakdown and VEP measures of short-range apparent motion 31: 1865
FULLENKAMP, S.C.
Cannon, M.W. and Fullenkamp, S.C. A transducer model for contrast perception 31: 983
Cannon, M.W. and Fullenkamp, S.C. Spatial interactions in apparent contrast: inhibitory effects among grating patterns of different spatial frequencies, spatial positions and orientations 31: 1985
FULTON, A.B.
Fulton, A.B., Hansen, R.M., Yeh, Y.-L. and Tyler, C.W. Temporal summation in dark-adapted 10-week old infants 31: 1259
Hansen, R.M. and Fulton, A.B. Electroretinographic assessment of background adaptation in 10-week-old human infants 31: 1501

Kurylo, D.D., Hansen, R.M. and Fulton, A.B. Dark adapted thresholds in young RCS rats 31: 637

GARCÍA-PÉREZ, M.A.
García-Pérez, M.A. Visual phenomena without low spatial frequencies: a closer look 31: 1647
GEISLER, W.S.
Davila, K.D. and Geisler, W.S. The relative contributions of pre-neural and neural factors to areal summation in the fovea 31: 1369
GEORGESON, M.A.
Greenlee, M.W., Georgeson, M.A., Magnussen, S. and Harris, J.P. The time course of adaption to spatial contrast 31: 223
GIVRE, S.J.
Schroeder, C.E., Tenke, C.E., Givre, S.J., Arezzo, J.C. and Vaughan, H.G. Jr. Striate cortical contribution to the surface-recorded pattern-reversal VEP in the alert monkey 31: 1143
GLASER, D.A.
Kumar, T. and Glaser, D.A. Influence of remote objects on local depth perception 31: 1687
GLENNERSTER, A.
Morgan, M.J. and Glennerster, A. Efficiency of locating centres of dot-clusters by human observers 31: 2075
GLICKSOHN, J.
Myslobodsky, M.S., Glicksohn, J., Coppola, R. and Weinberger, D.R. Occipital lobe morphology in normal individuals assessed by magnetic resonance imaging (MRI) 31: 1677
GNADT, J.W.
Gnadt, J.W., Bracewell, R.M. and Andersen, R.A. Sensorimotor transformation during eye movements to remembered visual targets 31: 693
GOREA, A.
Papathomas, T.V., Gorea, A. and Julesz, B. Two carriers for motion perception: color and luminance 31: 1883
GOVARDOVSKII, V.I.
Govardovskii, V.I., Byzov, A.L., Zueva, L.V., Polisczuk, N.A. and Baburina, E.A. Spectral characteristics of photoreceptors and horizontal cells in the retina of the Siberian sturgeon *Acipenser baeri* Brandt 31: 2047
DE GRAAF, B.
de Graaf, B., Wertheim, A.H. and Bles, W. The Aubert-Fleischl paradox does appear in visually induced self-motion 31: 845
GRAEBEL, W.P.
van Alphen, G.W.H.M. and Graebel, W.P. Elasticity of tissues involved in accommodation 31: 1417
GREENLEE, M.W.
Greenlee, M.W., Georgeson, M.A., Magnussen, S. and Harris, J.P. The time course of adaption to spatial contrast 31: 223
Magnussen, S., Greenlee, M.W., Asplund, R. and Dyrnes, S. Stimulus-specific mechanisms of visual short-term memory 31: 1213
GRIGSBY, S.S.
Ingling, C.R. Jr. and Grigsby, S.S. Perceptual correlates of magnocellular and parvocellular channels; seeing form and depth in afterimages. Reply to Hubel and Livingstone 31: 1657
VAN DE GRIND, W.A.
van den Berg, A.V. and van de Grind, W.A. Conditions for the detection of coherent motion 31: 1039
Lankheet, M.J.M., van Wezel, R.J.A. and van de Grind, W.A. Effects of background illumination on cat horizontal cell responses 31: 919
Lankheet, M.J.M., van Wezel, R.J.A. and van de Grind, W.A. Light adaptation and frequency transfer properties of cat horizontal cells 31: 1129
GROSOF, D.H.
Skottun, B.C., De Valois, R.L., Grosof, D.H., Movshon, J.A., Albrecht, D.G. and Bonds, A.B. Classifying simple and complex cells on the basis of response modulation 31: 1079
Skottun, B.C., Grosof, D.H. and De Valois, R.L. On the responses of simple and complex cells to random dot patterns 31: 43

GULYÁS, B.
Duysens, J., Gulyás, B. and Maes, H. Temporal integration in cat visual cortex: a test of Bloch's law 31: 1517
GUTHRIE, D.M.
Guthrie, D.M. and Sharma, S.C. Visual responses of morphologically identified tectal cells in the goldfish 31: 507
GUTIERREZ, C.
Williams, M.C., Breitmeyer, B.G., Lovegrove, W.J. and Gutierrez, C. Metacontrast with masks varying in spatial frequency and wavelength 31: 2017
GUTIERREZ, O.C.
Bustamante, S. and Gutierrez, O.C. Population study of horizontal cells in live carp retinas using micro-injections of horseradish peroxidase 31: 1107

HAIGHT, J.R.
Buttery, R.., Hinrichsen, C.F.L., Weller, W.L. and Haight, J.R. How thick should a retina be? A comparative study of mammalian species with and without intraretinal vasculature 31: 169
HALLETT, P.E.
Hallett, P.E. and Hofmann, M.I. Segregation of some mesh-derived textures evaluated by free viewing 31: 1701
HALPERN, D.L.
Halpern, D.L. Stereopsis from motion-defined contours 31: 1611
HAMMOND, P.
Hammond, P. On the response of simple and complex cells to random dot patterns: a reply to Skottun, Grosof and De Valois 31: 47
HANAWA, I.
Nakamura, M., Hanawa, I. and Ando, H. A new cornea-positive component to the ERG of the aspartate-treated frog retina? 31: 1669
HANKINS, M.W.
Hankins, M.W. and Ikeda, H. Non-NMDA type excitatory amino acid receptors mediate rod input to horizontal cells in the isolated rat retina 31: 609
HANSEN, H.C.
Lueck, C.J., Crawford, T.J., Hansen, H.C. and Kennard, C. Increase in saccadic peak velocity with increased frequency of saccades in man 31: 1439
HANSEN, R.M.
Fulton, A.B., Hansen, R.M., Yeh, Y.-L. and Tyler, C.W. Temporal summation in dark-adapted 10-week old infants 31: 1259
Hansen, R.M. and Fulton, A.B. Electroretinographic assessment of background adaptation in 10-week-old human infants 31: 1501
Kurylo, D.D., Hansen, R.M. and Fulton, A.B. Dark adapted thresholds in young RCS rats 31: 637
HARDING, G.F.A.
Armstrong, R.A., Slaven, A. and Harding, G.F.A. Visual evoked magnetic fields to flash and pattern in 100 normal subjects 31: 1859
HARGRAVE, P.A.
Adamus, G., Zam, Z.S., Arendt, A., Palczewski, K., McDowell, J.H. and Hargrave, P.A. Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
HAROSI, F.I.
Hawryshyn, C.W. and Harosi, F.I. Ultraviolet photoreception in carp: microspectrophotometry and behaviorally determined action spectra 31: 567
HARRIS, J.P.
Greenlee, M.W., Georgeson, M.A., Magnussen, S. and Harris, J.P. The time course of adaption to spatial contrast 31: 223
HART, P.
Patterson, R., Hart, P. and Nowak, D. The cyclopean ternus display and the perception of element versus group movement 31: 2085
HAWRYSHYN, C.W.
Hawryshyn, C.W. and Harosi, F.I. Ultraviolet photoreception in carp: microspectrophotometry and behaviorally determined action spectra 31: 567

Hawryshyn, C.W. Spatial summation of cone mechanisms in goldfish 31: 563
HE, Z.
He, Z. and Loop, M.S. Luminance sensitivity recovers quickly in monocularly deprived cats 31: 1633
HESS, R.F.
Hess, R.F. The site and nature of suppression in squint amblyopia 31: 111
HINRICHSEN, C.F.L.
Buttery, R.., Hinrichsen, C.F.L., Weller, W.L. and Haight, J.R. How thick should a retina be? A comparative study of mammalian species with and without intraretinal vasculature 31: 169
HODOS, W.
Hodos, W., Miller, R.F. and Fite, K.V. Age-dependent changes in visual acuity and retinal morphology in pigeons 31: 669
Porciatti, V., Hodos, W., Signorini, G. and Bramanti, F. Electroretinographic changes in aged pigeons 31: 661
HOFMANN, M.I.
Hallett, P.E. and Hofmann, M.I. Segregation of some mesh-derived textures evaluated by free viewing 31: 1701
HOHNSBEIN, J.
Mateeff, S., Bohdanecky, Z., Hohnsbein, J., Ehrenstein, W.H. and Yakimoff, N. A constant latency difference determines directional anisotropy in visual motion perception 31: 2235
Mateeff, S., Yakimoff, N., Hohnsbein, J., Ehrenstein, W.H., Bohdanecky, Z. and Radil, T. Selective directional sensitivity in visual motion perception 31: 131
HONDA, H.
Honda, H. The time courses of visual mislocalization and of extraretinal eye position signals at the time of vertical saccades 31: 1915
HOWARD, I.P.
Cheung, B.S.K. and Howard, I.P. Optokinetic torsion: dynamics and relation to circularvection 31: 1327
Wade, N.J., Swanston, M.T., Howard, I.P., Ono, H. and Shen, X. Induced rotary motion and ocular torsion 31: 1979
HOWLAND, H.C.
Schaeffel, F. and Howland, H.C. Properties of the feedback loops controlling eye growth and refractive state in the chicken 31: 717
HUBEL, D.H.
Hubel, D.H. and Livingstone, M.S. A comment on "Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages" 31: 1655
HUSAIN, M.
Treue, S., Husain, M. and Andersen, R.A. Human perception of structure from motion 31: 59

IJSPEERT, J.K.
van den Berg, T.J.T.P., IJspeert, J.K. and de Waard, P.W.T. Dependence of intraocular straylight on pigmentation and light transmission through the ocular wall 31: 1361
IIVANAINEN, A.
Rovamo, J. and Iivanainen, A. Detection of chromatic deviations from white across the human visual field 31: 2227
IKEDA, H.
Hankins, M.W. and Ikeda, H. Non-NMDA type excitatory amino acid receptors mediate rod input to horizontal cells in the isolated rat retina 31: 609
INGLING, C.R. JR.
Ingling, C.R. Jr. and Grigsby, S.S. Perceptual correlates of magnocellular and parvocellular channels; seeing form and depth in afterimages. Reply to Hubel and Livingstone 31: 1657
ISHIDA, A.T.
Ishida, A.T. Regenerative sodium and calcium currents in goldfish retinal ganglion cell somata 31: 477

JIANG, B.-c.
Jiang, B.-c. and Levi, D.M. Spatial-interval discrimination in two-dimensions 31: 1931

JOHNSON, C.A.
Adams, C.W. and Johnson, C.A. Steady-state and dynamic response properties of the Mandelbaum effect 31: 751
JOHNSTON, E.B.
Johnston, E.B. Systematic distortions of shape from stereopsis 31: 1351
JULESZ, B.
Papathomas, T.V., Gorea, A. and Julesz, B. Two carriers for motion perception: color and luminance 31: 1883
JUNGER, H.
Zaunreiter, M., Junger, H. and Kotrschal, K. Retinal morphology of cyprinid fishes: a quantitative histological study of ontogenetic changes and interspecific variation 31: 383

VAN KAN, P.L.E.
Scobey, R.P. and van Kan, P.L.E. A horizontal stripe of displacement sensitivity in the human visual field 31: 99
KARVALY, B.
Crescitelli, F. and Karvaly, B. The gecko visual pigment: the anion hypsochromic effect 31: 945
KELLY, J.P.
Petry, H.M. and Kelly, J.P. Psychophysical measurement of spectral sensitivity and color vision in red-light-reared tree shrews (*Tupaia belangeri*) 31: 1749
KENNARD, C.
Lueck, C.J., Crawford, T.J., Hansen, H.C. and Kennard, C. Increase in saccadic peak velocity with increased frequency of saccades in man 31: 1439
KERTESZ, A.E.
Skelton, B.J. and Kertesz, A.E. Sensory interactions during human fusional response 31: 1573
KINGDOM, F.
Kingdom, F. and Moulden, B. A model for contrast discrimination with incremental and decremental test patches 31: 851
Kingdom, F. and Moulden, B. White's effect and assimilation 31: 151
Moulden, B. and Kingdom, F. The local border mechanism in grating induction 31: 1999
KIRSCH, M.
Kirsch, M., Wagner, H.-J. and Djamgoz, M.B.A. Dopamine and plasticity of horizontal cell function in the teleost retina: regulation of a spectral mechanism through D_1-receptors 31: 401
KITO, Y.
Ando, H., Seidou, M. and Kito, Y. Light-induced, GTP-binding protein mediated membrane currents of *Xenopus* oocytes injected with rhodopsin of cephalopods 31: 1087
KNAPP, A.J.
Stephenson, C.M.E., Knapp, A.J. and Braddick, O.J. Discrimination of spatial phase shows a qualitative difference between foveal and peripheral processing 31: 1315
KOOI, F.L.
Kooi, F.L., De Valois, R.L. and Switkes, E. Spatial localization across channels 31: 1627
KOTRSCHAL, K.
Zaunreiter, M., Junger, H. and Kotrschal, K. Retinal morphology of cyprinid fishes: a quantitative histological study of ontogenetic changes and interspecific variation 31: 383
KRAMER, P.
Yager, D. and Kramer, P. A model for perceived spatial frequency and spatial frequency discrimination 31: 1067
KRAUSKOPF, J.
Krauskopf, J. and Farell, B. Vernier acuity: effects of chromatic content, blur and contrast 31: 735
KRONAUER, R.E.
Stromeyer, C.F. III, Eskew, R.T. Jr., Kronauer, R.E. and Spillmann, L. Temporal phase response of the short-wave cone signal for color and luminance 31: 787
KUMAR, T.
Kumar, T. and Glaser, D.A. Influence of remote objects on local depth perception 31: 1687
KURYLO, D.D.
Kurylo, D.D., Hansen, R.M. and Fulton, A.B. Dark adapted thresholds in young RCS rats 31: 637

Kurylo, D.D. Interaction of visually guided saccades with saccades induced by electrical stimulation of the posterior parietal cortex in the monkey 31: 2065

LACHAPELLE, P.
Lachapelle, P., Benoit, J., Cheema, D. and Molotchnikoff, S. Temporal relationship between the ERG and geniculate unit activity in rabbit: influence of background luminance 31: 2033
Lachapelle, P. Evidence for an intensity-coding oscillatory potential in the human electroretinogram 31: 767
Lachapelle, P. The effect of a slow flicker on the human photopic oscillatory potentials 31: 1851
LAGRÈZE, W.-D.
Lagrèze, W.-D. and Sireteanu, R. Two-dimensional spatial distortions in human strabismic amblyopia 31: 1271
LANDY, M.S.
Landy, M.S. and Bergen, J.R. Texture segregation and orientation gradient 31: 679
Landy, M.S., Dosher, B.A., Sperling, G. and Perkins, M.E. The kinetic depth effect and optic flow - II. First- and second-order motion 31: 859
Perkins, M.E. and Landy, M.S. Nonadditivity of masking by narrow-band noises 31: 1053
LANKHEET, M.J.M.
Lankheet, M.J.M., van Wezel, R.J.A. and van de Grind, W.A. Effects of background illumination on cat horizontal cell responses 31: 919
Lankheet, M.J.M., van Wezel, R.J.A. and van de Grind, W.A. Light adaptation and frequency transfer properties of cat horizontal cells 31: 1129
LASATER, E.M.
Lasater, E.M. Characteristics of single-channels activated by quisqualate and kainate in teleost retinal horizontal cells 31: 413
LE CLERC, J.
Troscianko, T., Montagnon, R., Le Clerc, J., Malbert, E. and Chanteau, P.-L. The role of colour as a monocular depth cue 31: 1923
LEGUIRE, L.E.
Leguire, L.E., Zaff, B.S., Freeman, S., Rogers, G.L., Bremer, D.L. and Wali, N. Contrast sensitivity of optokinetic nystagmus 31: 89
LEMIJ, H.G.
Lemij, H.G. amd Collewijn, H. Long-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1939
Lemij, H.G. amd Collewijn, H. Short-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1955
LEVI, D.M.
Jiang, B.-c. and Levi, D.M. Spatial-interval discrimination in two-dimensions 31: 1931
LI, C.-Y.
Li, C.-Y., Pei, X., Zhow, Y.-x. and von Mitzlaff, H.-C. Role of the extensive area outside the X-cell receptive field in brightness information transmission 31: 1529
LIVINGSTONE, M.S.
Hubel, D.H. and Livingstone, M.S. A comment on "Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages" 31: 1655
LIVREA, M.A.
Bongiorno, A., Tesoriere, L., Livrea, M.A. and Pandolfo, L. Distribution of Vitamin A compounds in bovine eyes after bleaching adaptation 31: 1099
LOEW, E.R.
Loew, E R. and Wahl, C.M. A short-wavelength sensitive cone mechanism in juvenile yellow perch, *Perca flavescens* 31: 353
Loew, E.R. and McFarland, W.N. Foreward 31: 337
LOOP, M.S.
He, Z. and Loop, M.S. Luminance sensitivity recovers quickly in monocularly deprived cats 31: 1633
LOVEGROVE, W.J.
Williams, M.C., Breitmeyer, B.G., Lovegrove, W.J. and Gutierrez, C. Metacontrast with masks varying in spatial frequency and wavelength 31: 2017

LOW, J.C.
Low, J.C., Yamada, M. and Djamgoz, M.B.A. Voltage clamp study of electrophysiologically-identified horizontal cells in carp retina 31: 437
LUECK, C.J.
Lueck, C.J., Crawford, T.J., Hansen, H.C. and Kennard, C. Increase in saccadic peak velocity with increased frequency of saccades in man 31: 1439
LUER, C.A.
Sivak, J.G. and Luer, C.A. Optical development of the ocular lens of an elasmobranch, *Raja elanteria* 31: 373
LYTHGOE, J.N.
Lythgoe, J.N. and Partridge, J.C. The modelling of optimal visual pigments of dichromatic teleosts in green coastal waters 31: 361

MACKNIK, S.L.
Macknik, S.L., Fisher, B.D. and Bridgeman, B. Flicker distorts visual space constancy 31: 2057
MacLEOD, D.I.A.
Mulligan, J.B. and MacLeod, D.I.A. Visual sensitivity to spatially sampled modulation in human observers 31: 895
Stockman, A., MacLeod, D.I.A. and DePriest, D.D. The temporal properties of the human short-wave photoreceptors and their associated pathways 31: 189
MacVEIGH, D.
Whitaker, D. and MacVeigh, D. Interaction of spatial frequency and separation in vernier acuity 31: 1205
MAES, H.
Duysens, J., Gulyás, B. and Maes, H. Temporal integration in cat visual cortex: a test of Bloch's law 31: 1517
MAGNUSSEN, S.
Greenlee, M.W., Georgeson, M.A., Magnussen, S. and Harris, J.P. The time course of adaption to spatial contrast 31: 223
Magnussen, S., Greenlee, M.W., Asplund, R. and Dyrnes, S. Stimulus-specific mechanisms of visual short-term memory 31: 1213
MALBERT, E.
Troscianko, T., Montagnon, R., Le Clerc, J., Malbert, E. and Chanteau, P.-L. The role of colour as a monocular depth cue 31: 1923
MANAHILOV, V.
Manahilov, V. Grating detection and identification: comparison of postadaptation reaction times 31: 915
MANNING, M.L.
Manning, M.L., Finlay, D.C. and Fulham, W.R. Time-till-breakdown and VEP measures of short-range apparent motion 31: 1865
MATEEFF, S.
Mateeff, S., Bohdanecky, Z., Hohnsbein, J., Ehrenstein, W.H. and Yakimoff, N. A constant latency difference determines directional anisotropy in visual motion perception 31: 2235
Mateeff, S., Yakimoff, N., Hohnsbein, J., Ehrenstein, W.H., Bohdanecky, Z. and Radil, T. Selective directional sensitivity in visual motion perception 31: 131
MATHER, G.
Mather, G. First-order and second-order visual processes in the perception of motion and tilt 31: 161
Mather, G., Moulden, B. and O'Halloran, A. Polarity specific adaptation to motion in the human visual system 31: 1013
MATTINGLEY, J.B.
Mattingley, J.B. and Badcock, D.R. The shift effect can be elicited with both foveal and peripheral masks 31: 1251
McDOWELL, J.H.
Adamus, G., Zam, Z.S., Arendt, A., Palczewski, K., McDowell, J.H. and Hargrave, P.A. Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
McFARLAND, W.N.
Loew, E.R. and McFarland, W.N. Foreward 31: 337

MEERFELD, N.
Wagner, H.-J., Wulle, I., Meerfeld, N. and Wewetzer, K. Characterization of a GABAergic population of interstitial amacrine cells in the teleost retina 31: 1489
MILLER, R.F.
Hodos, W., Miller, R.F. and Fite, K.V. Age-dependent changes in visual acuity and retinal morphology in pigeons 31: 669
MILLS, S.L.
Sperling, H.G., Wright, A.A. and Mills, S.L. Color vision following intense green light exposure: data and a model 31: 1797
MISSOTTEN, L.
Van Haesendonck, E. and Missotten, L. Patterns of glutamate-like immunoreactive bipolar cell axons in the retina of the marine teleost, the dragonet 31: 451
MITCHELL, D.E.
Murphy, K.A. and Mitchell, D.E. Vernier acuity of normal and visually deprived cats 31: 253
VON MITZLAFF, H.-C.
Li, C.-Y., Pei, X., Zhow, Y.-x. and von Mitzlaff, H.-C. Role of the extensive area outside the X-cell receptive field in brightness information transmission 31: 1529
MIYACHI, E.-i.
Miyachi, E.-i. and Murakami, M. Synaptic inputs to turtle horizontal cells analyzed after blocking of gap junctions by intracellular injection of cyclic nucleotides 31: 631
MOLOTCHNIKOFF, S.
Lachapelle, P., Benoit, J., Cheema, D. and Molotchnikoff, S. Temporal relationship between the ERG and geniculate unit activity in rabbit: influence of background luminance 31: 2033
MONTAGNON, R.
Troscianko, T., Montagnon, R., Le Clerc, J., Malbert, E. and Chanteau, P.-L. The role of colour as a monocular depth cue 31: 1923
MORGAN, M.J.
Morgan, M.J. and Glennerster, A. Efficiency of locating centres of dot-clusters by human observers 31: 2075
MOULDEN, B.
Kingdom, F. and Moulden, B. A model for contrast discrimination with incremental and decremental test patches 31: 851
Kingdom, F. and Moulden, B. White's effect and assimilation 31: 151
Mather, G., Moulden, B. and O'Halloran, A. Polarity specific adaptation to motion in the human visual system 31: 1013
Moulden, B. and Kingdom, F. The local border mechanism in grating induction 31: 1999
MOVSHON, J.A.
Skottun, B.C., De Valois, R.L., Grosof, D.H., Movshon, J.A., Albrecht, D.G. and Bonds, A.B. Classifying simple and complex cells on the basis of response modulation 31: 1079
MULLEN, K.T.
Mullen, K.T. Colour vision as a post-receptoral specialization of the central visual field 31: 119
MULLIGAN, J.B.
Mulligan, J.B. and MacLeod, D.I.A. Visual sensitivity to spatially sampled modulation in human observers 31: 895
MURAKAMI, M.
Miyachi, E.-i. and Murakami, M. Synaptic inputs to turtle horizontal cells analyzed after blocking of gap junctions by intracellular injection of cyclic nucleotides 31: 631
Takahashi, K.-I. and Murakami, M. Reversal potentials of color opponent responses in horizontal cells of the carp retina 31: 1159
MURPHY, K.A.
Murphy, K.A. and Mitchell, D.E. Vernier acuity of normal and visually deprived cats 31: 253
MYSLOBODSKY, M.S.
Myslobodsky, M.S., Glicksohn, J., Coppola, R. and Weinberger, D.R. Occipital lobe morphology in normal individuals assessed by magnetic resonance imaging (MRI) 31: 1677

NAARENDORP, F.
Naarendorp, F., and Sieving, P.A. The scotopic threshold response of the cat ERG is suppressed selectively by GABA and glycine 31: 1

NAKAMURA, M.
Nakamura, M., Hanawa, I. and Ando, H. A new cornea-positive component to the ERG of the aspartate-treated frog retina? 31: 1669
NAKAYAMA, K.
Paradiso, M.A. and Nakayama, K. Brightness perception and filling-in 31: 1221
NEGISHI, K.
Teranishi, T. and Negishi, K. Dendritic morphology of a class of interstitial and normally placed amacrine cells revealed by intracellular Lucifer Yellow injection in carp retina 31: 463
NEUMEYER, C.
Neumeyer, C., Wietsma, J.J. and Spekreijse, H. Separate processing of "color" and "brightness" in goldfish 31: 537
Spekreijse, H., Wietsma, J.J. and Neumeyer, C. Induced color blindness in goldfish: a behavioral and electrophysiological study 31: 551
NISHIDA, S.-y.
Ohtani, Y., Ejima, Y. and Nishida, S. Contribution of transient and sustained responses to the perception of apparent motion 31: 999
NORTHMORE, D.P.M.
Northmore, D.P.M. Visual responses of nucleus isthmi in a teleost fish (*Lepomis macrochirus*) 31: 525
NOTHDURFT, H.C.
Nothdurft, H.C. Different effects from spatial frequency masking in texture segregation and texton detection tasks 31: 299
Nothdurft, H.C. Texture segmentation and pop-out from orientation contrast 31: 1073
NOWAK, D.
Patterson, R., Hart, P. and Nowak, D. The cyclopean ternus display and the perception of element versus group movement 31: 2085

O'HALLORAN, A.
Mather, G., Moulden, B. and O'Halloran, A. Polarity specific adaptation to motion in the human visual system 31: 1013
OHTANI, Y.
Ohtani, Y., Ejima, Y. and Nishida, S.-y. Contribution of transient and sustained responses to the perception of apparent motion 31: 999
OLZAK, L.A.
Olzak, L.A. and Thomas, J.P. When orthogonal orientations are not processed independently 31: 51
ONO, H.
Wade, N.J., Swanston, M.T., Howard, I.P., Ono, H. and Shen, X. Induced rotary motion and ocular torsion 31: 1979
OSBORNE, N.N.
Osborne, N.N., FitzGibbon, F. and Schwartz, G. Muscarinic acetylcholine receptor-mediated phosphoinositide turnover in cultured human retinal pigment epithelium cells 31: 1119

PACKER, O.
Sekiguchi, N., Williams, D.R. and Packer, O. Nonlinear distortion of gratings at the foveal resolution limit 31: 815
PALCZEWSKI, K.
Adamus, G., Zam, Z.S., Arendt, A., Palczewski, K., McDowell, J.H. and Hargrave, P.A. Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
PANDOLFO, L.
Bongiorno, A., Tesoriere, L., Livrea, M.A. and Pandolfo, L. Distribution of Vitamin A compounds in bovine eyes after bleaching adaptation 31: 1099
PANG, X.D.
Pang, X.D. and Bonds, A.B. Visual evoked potential responses of the anesthetized cat to contrast modulation of grating patterns 31: 1509

PAPATHANASOPOULOS, P.G.
Bezerianos, A.G. and Papathanasopoulos, P.G. A programmable digital video pattern generator controlled by microprocessor for basic research and clinical applications 31: 1563
PAPATHOMAS, T.V.
Papathomas, T.V., Gorea, A. and Julesz, B. Two carriers for motion perception: color and luminance 31: 1883
PARADISO, M.A.
Paradiso, M.A. and Nakayama, K. Brightness perception and filling-in 31: 1221
PARISH, D.H.
Parish, D.H. and Sperling, G. Object spatial frequencies, retinal spatial frequencies, noise, and the efficiency of letter discrimination 31: 1399
PARTRIDGE, J.C.
Lythgoe, J.N. and Partridge, J.C. The modelling of optimal visual pigments of dichromatic teleosts in green coastal waters 31: 361
Partridge, J.C. and De Grip, W.J. A new template for rhodopsin (vitamin A_1 based) visual pigments 31: 619
PASCAL, E.
Abadi, R.V. and Pascal, E. The effects of simultaneous central and peripheral field motion on the optokinetic response 31: 2219
Abadi, R.V. and Pascal, E. Visual resolution limits in human albinism 31: 1445
PATTERSON, R.
Patterson, R., Hart, P. and Nowak, D. The cyclopean ternus display and the perception of element versus group movement 31: 2085
PAWLYK, B.S.
Pawlyk, B.S., Sandberg, M.A. and Berson, E.L. Effects of IBMX on the rod ERG of the isolated perfused cat eye: antagonism with light, calcium or L-*cis*-diltiazem 31: 1093
PEI, X.
Li, C.-Y., Pei, X., Zhow, Y.-x. and von Mitzlaff, H.-C. Role of the extensive area outside the X-cell receptive field in brightness information transmission 31: 1529
PELLI, D.G.
Pelli, D.G. and Zhang, L. Accurate control of contrast on microcomputer displays 31: 1337
PERKINS, M.E.
Landy, M.S., Dosher, B.A., Sperling, G. and Perkins, M.E. The kinetic depth effect and optic flow - II. First- and second-order motion 31: 859
Perkins, M.E. and Landy, M.S. Nonadditivity of masking by narrow-band noises 31: 1053
PETRY, H.M.
Petry, H.M. and Kelly, J.P. Psychophysical measurement of spectral sensitivity and color vision in red-light-reared tree shrews (*Tupaia belangeri*) 31: 1749
POKORNY, J.
Wesner, M.F., Pokorny, J., Shevell, S.K. and Smith, V.C. Foveal cone detection statistics in color-normals and dichromats 31: 1021
POLISCZUK, N.A.
Govardovskii, V.I., Byzov, A.L., Zueva, L.V., Polisczuk, N.A. and Baburina, E.A. Spectral characteristics of photoreceptors and horizontal cells in the retina of the Siberian sturgeon *Acipenser baeri* Brandt 31: 2047
PORCIATTI, V.
Porciatti, V., Hodos, W., Signorini, G. and Bramanti, F. Electroretinographic changes in aged pigeons 31: 661
POWERS, J.C.
Suter, S., Armstrong, C.A., Suter, P.S. and Powers, J.C. Spatial-frequency-tuned attenuation and enhancement of the steady-state VEP by grating adaptation 31: 1167
POWERS, M.K.
Bilotta, J. and Powers, M.K. Spatial contrast sensitivity of goldfish: mean luminance, temporal frequency and a new psychophysical technique 31: 577
PRESTON, K.L.
Finocchio, D.V., Preston, K.L. and Fuchs, A.F. Infant eye movements: quantification of the vestibulo-ocular reflex and visual-vestibular interactions 31: 1717

RADIL, T.
Mateeff, S., Yakimoff, N., Hohnsbein, J., Ehrenstein, W.H., Bohdanecky, Z. and Radil, T. Selective directional sensitivity in visual motion perception 31: 131
RANINEN, A.
Raninen, A., Franssila, R. and Rovamo, J. Critical flicker frequency to red targets as a function of luminance and flux across the human visual field 31: 1875
ROBINSON, J.
Robinson, J., Bayliss, S.C. and Fielder, A.R. Transmission of light across the adult and neonatal eyelid (*in vivo*) 31: 1837
ROGERS, G.L.
Leguire, L.E., Zaff, B.S., Freeman, S., Rogers, G.L., Bremer, D.L. and Wali, N. Contrast sensitivity of optokinetic nystagmus 31: 89
ROVAMO, J.
Raninen, A., Franssila, R. and Rovamo, J. Critical flicker frequency to red targets as a function of luminance and flux across the human visual field 31: 1875
Rovamo, J. and Iivanainen, A. Detection of chromatic deviations from white across the human visual field 31: 2227
RUDOLF, G.
Rudolf, G., Wioland, N. and Allart, I. Is dopamine involved in the generation of the light peak in the intact chicken eye? 31: 1841
Wioland, N. and Rudolf, G. Light and dark induced variations of the *c*-wave voltage of the chicken eye after treatment with sodium aspartate 31: 643

SAGI, D.
Dick, M., Ullman, S. and Sagi, D. Short- and long-range processes in structure-from-motion 31: 2025
SANDBERG, M.A.
Pawlyk, B.S., Sandberg, M.A. and Berson, E.L. Effects of IBMX on the rod ERG of the isolated perfused cat eye: antagonism with light, calcium or L-*cis*-diltiazem 31: 1093
SCHAEFFEL, F.
Schaeffel, F. and Howland, H.C. Properties of the feedback loops controlling eye growth and refractive state in the chicken 31: 717
SCHOR, C.M.
Cormack, L.K., Stevenson, S.B. and Schor, C.M. Interocular correlation, luminance contrast and cyclopean processing 31: 2195
Stevenson, S.B., Cormack, L.K. and Schor, C.M. Depth attraction and repulsion in random dot stereograms 31: 805
SCHROEDER, C.E.
Schroeder, C.E., Tenke, C.E., Givre, S.J., Arezzo, J.C. and Vaughan, H.G. Jr. Striate cortical contribution to the surface-recorded pattern-reversal VEP in the alert monkey 31: 1143
SCHWARTZ, G.
Osborne, N.N., FitzGibbon, F. and Schwartz, G. Muscarinic acetylcholine receptor-mediated phosphoinositide turnover in cultured human retinal pigment epithelium cells 31: 1119
SCOBEY, R.P.
Scobey, R.P. and van Kan, P.L.E. A horizontal stripe of displacement sensitivity in the human visual field 31: 99
SEIDOU, M.
Ando, H., Seidou, M. and Kito, Y. Light-induced, GTP-binding protein mediated membrane currents of *Xenopus* oocytes injected with rhodopsin of cephalopods 31: 1087
SEKIGUCHI, N.
Sekiguchi, N., Williams, D.R. and Packer, O. Nonlinear distortion of gratings at the foveal resolution limit 31: 815
SEKULER, R.
Williams, D., Tweten, S. and Sekuler, R. Using metamers to explore motion perception 31: 275
SHARMA, S.C.
Guthrie, D.M. and Sharma, S.C. Visual responses of morphologically identified tectal cells in the goldfish 31: 507

Sharma, S.C. and Tsai, C. Retention of retinal axon collateral is responsible for induced ipsilateral retinotectal projections in adult goldfish 31: 499
SHEN, X.
Wade, N.J., Swanston, M.T., Howard, I.P., Ono, H. and Shen, X. Induced rotary motion and ocular torsion 31: 1979
SHEVELL, S.K.
Wesner, M.F., Pokorny, J., Shevell, S.K. and Smith, V.C. Foveal cone detection statistics in color-normals and dichromats 31: 1021
SIEVING, P.A.
Naarendorp, F., and Sieving, P.A. The scotopic threshold response of the cat ERG is suppressed selectively by GABA and glycine 31: 1
SIGNORINI, G.
Porciatti, V., Hodos, W., Signorini, G. and Bramanti, F. Electroretinographic changes in aged pigeons 31: 661
SIRETEANU, R.
Lagrèze, W.-D. and Sireteanu, R. Two-dimensional spatial distortions in human strabismic amblyopia 31: 1271
SIVAK, J.G.
Sivak, J.G. and Luer, C.A. Optical development of the ocular lens of an elasmobranch, *Raja elanteria* 31: 373
SKELTON, B.J.
Skelton, B.J. and Kertesz, A.E. Sensory interactions during human fusional response 31: 1573
SKOTTUN, B.C.
Skottun, B.C., De Valois, R.L., Grosof, D.H., Movshon, J.A., Albrecht, D.G. and Bonds, A.B. Classifying simple and complex cells on the basis of response modulation 31: 1079
Skottun, B.C., Grosof, D.H. and De Valois, R.L. On the responses of simple and complex cells to random dot patterns 31: 43
SLAVEN, A.
Armstrong, R.A., Slaven, A. and Harding, G.F.A. Visual evoked magnetic fields to flash and pattern in 100 normal subjects 31: 1859
SMITH, A.T.
Smith, A.T. and Edgar, G.K. The separability of temporal frequency and velocity 31: 321
SMITH, E.L. III
Smith, E.L. III, Fox, D.A. and Duncan, G.C. Refractive-error changes in kitten eyes produced by chronic ON-channel blockade 31: 833
SMITH, V.C.
Wesner, M.F., Pokorny, J., Shevell, S.K. and Smith, V.C. Foveal cone detection statistics in color-normals and dichromats 31: 1021
SNOWDEN, R.J.
Snowden, R.J. and Braddick, O.J. The temporal integration and resolution of velocity signals 31: 907
SPEKREIJSE, H.
Neumeyer, C., Wietsma, J.J. and Spekreijse, H. Separate processing of "color" and "brightness" in goldfish 31: 537
Spekreijse, H., Wietsma, J.J. and Neumeyer, C. Induced color blindness in goldfish: a behavioral and electrophysiological study 31: 551
Wietsma, J.J. and Spekreijse, H. Bicuculline produces reversible red-green color blindness in goldfish, as revealed by monocular behavioral testing 31: 2101
SPERLING, G.
Landy, M.S., Dosher, B.A., Sperling, G. and Perkins, M.E. The kinetic depth effect and optic flow - II. First- and second-order motion 31: 859
Parish, D.H. and Sperling, G. Object spatial frequencies, retinal spatial frequencies, noise, and the efficiency of letter discrimination 31: 1399
SPERLING, H.G.
Sperling, H.G., Wright, A.A. and Mills, S.L. Color vision following intense green light exposure: data and a model 31: 1797
SPILLMANN, L.
Stromeyer, C.F. III, Eskew, R.T. Jr., Kronauer, R.E. and Spillmann, L. Temporal phase response of the short-wave cone signal for color and luminance 31: 787

SREBRO, R.
Srebro, R. and Baitch, L.W. Image segmentation and VEP topography 31: 2039
STAKENBURG, M.
Stakenburg, M. Accommodation without pupillary constriction 31: 267
STARK, L.
Bridgeman, B. and Stark, L. Ocular proprioception and efference copy in registering visual direction 31: 1903
STEPHENSON, C.M.E.
Stephenson, C.M.E., Knapp, A.J. and Braddick, O.J. Discrimination of spatial phase shows a qualitative difference between foveal and peripheral processing 31: 1315
STEVENSON, S.B.
Cormack, L.K., Stevenson, S.B. and Schor, C.M. Interocular correlation, luminance contrast and cyclopean processing 31: 2195
Stevenson, S.B., Cormack, L.K. and Schor, C.M. Depth attraction and repulsion in random dot stereograms 31: 805
STOCKMAN, A.
Stockman, A., MacLeod, D.I.A. and DePriest, D.D. The temporal properties of the human short-wave photoreceptors and their associated pathways 31: 189
STROMEYER, C.F. III
Stromeyer, C.F. III, Eskew, R.T. Jr., Kronauer, R.E. and Spillmann, L. Temporal phase response of the short-wave cone signal for color and luminance 31: 787
SUERO, M.
Derrington, A. and Suero, M. Motion of complex patterns is computed from the perceived motions of their components 31: 139
SUTER, P.S.
Suter, S., Armstrong, C.A., Suter, P.S. and Powers, J.C. Spatial-frequency-tuned attenuation and enhancement of the steady-state VEP by grating adaptation 31: 1167
SUTER, S.
Suter, S., Armstrong, C.A., Suter, P.S. and Powers, J.C. Spatial-frequency-tuned attenuation and enhancement of the steady-state VEP by grating adaptation 31: 1167
SWANSTON, M.T.
Wade, N.J., Swanston, M.T., Howard, I.P., Ono, H. and Shen, X. Induced rotary motion and ocular torsion 31: 1979
SWIESON, L.R.
Whittaker, S.G., Cummings, R.W. and Swieson, L.R. Saccade control without a fovea 31: 2209
SWITKES, E.
Kooi, F.L., De Valois, R.L. and Switkes, E. Spatial localization across channels 31: 1627

TAKAHASHI, K.-I.
Takahashi, K.-I. and Murakami, M. Reversal potentials of color opponent responses in horizontal cells of the carp retina 31: 1159
TENKE, C.E.
Schroeder, C.E., Tenke, C.E., Givre, S.J., Arezzo, J.C. and Vaughan, H.G. Jr. Striate cortical contribution to the surface-recorded pattern-reversal VEP in the alert monkey 31: 1143
TERANISHI, T.
Teranishi, T. and Negishi, K. Dendritic morphology of a class of interstitial and normally placed amacrine cells revealed by intracellular Lucifer Yellow injection in carp retina 31: 463
TESORIERE, L.
Bongiorno, A., Tesoriere, L., Livrea, M.A. and Pandolfo, L. Distribution of Vitamin A compounds in bovine eyes after bleaching adaptation 31: 1099
THIBOS, L.N.
Ye, M., Bradley, A., Thibos, L.N. and Zhang, X. Interocular differences in transverse chromatic aberration determine chromostereopsis for small pupils 31: 1787
THOMAS, J.P.
Olzak, L.A. and Thomas, J.P. When orthogonal orientations are not processed independently 31: 51
THORPE, A.
Bowmaker, J.K., Thorpe, A. and Douglas, R.H. Ultraviolet-sensitive cones in the goldfish 31: 349

TREUE, S.
Treue, S., Husain, M. and Andersen, R.A. Human perception of structure from motion 31: 59
TROILO, D.
Troilo, D. and Wallman, J. The regulation of eye growth and refractive state: and experimental study of emmetropization 31: 1237
TROSCIANKO, T.
Troscianko, T., Montagnon, R., Le Clerc, J., Malbert, E. and Chanteau, P.-L. The role of colour as a monocular depth cue 31: 1923
TSAI, C.
Sharma, S.C. and Tsai, C. Retention of retinal axon collateral is responsible for induced ipsilateral retinotectal projections in adult goldfish 31: 499
TWETEN, S.
Williams, D., Tweten, S. and Sekuler, R. Using metamers to explore motion perception 31: 275
TYLER, C.W.
Fulton, A.B., Hansen, R.M., Yeh, Y.-L. and Tyler, C.W. Temporal summation in dark-adapted 10-week old infants 31: 1259

ULLMAN, S.
Dick, M., Ullman, S. and Sagi, D. Short- and long-range processes in structure-from-motion 31: 2025

VALLERGA, S.
Vallerga, S. and Djamgoz, M.B.A. Ganglion cells in the goldfish retina: correlation of light-evoked response and morphology 31: 487
VALLET, A.M.
Vallet, A.M. and Coles, J.A. A method for estimating the minimum visual stimulus that evokes a behavioural response in the drone, *Apis mellifera* 31: 1453
VALLORTIGARA, G.
Vallortigara, G. and Bressan, P. Occlusion and the perception of coherent motion 31: 1967
VAN HAESENDONCK, E.
Van Haesendonck, E. and Missotten, L. Patterns of glutamate-like immunoreactive bipolar cell axons in the retina of the marine teleost, the dragonet 31: 451
VAUGHAN, H.G. JR.
Schroeder, C.E., Tenke, C.E., Givre, S.J., Arezzo, J.C. and Vaughan, H.G. Jr. Striate cortical contribution to the surface-recorded pattern-reversal VEP in the alert monkey 31: 1143
VICTOR, J.D.
Victor, J.D. and Conte, M.M. Spatial organization of nonlinear interactions in form perception 31: 1457
VILLA, P.
Villa, P., Bedmar, M.D. and Barón M. Studies on rod horizontal cell *S*-potential in dependence of the dark/light adapted state: a comparative study in *Cyprinus carpio* and *Scyliorhinus canicula* retinas 31: 425
VITU, F.
Vitu, F. Against the existence of a range effect during reading 31: 2009
Vitu, F. The existence of a center of gravity effect during reading 31: 1289

DE WAARD, P.W.T.
van den Berg, T.J.T.P., IJspeert, J.K. and de Waard, P.W.T. Dependence of intraocular straylight on pigmentation and light transmission through the ocular wall 31: 1361
WADE, N.J.
Wade, N.J., Swanston, M.T., Howard, I.P., Ono, H. and Shen, X. Induced rotary motion and ocular torsion 31: 1979

WAGNER, H.-J.
Kirsch, M., Wagner, H.-J. and Djamgoz, M.B.A. Dopamine and plasticity of horizontal cell function in the teleost retina: regulation of a spectral mechanism through D_1-receptors 31: 401
Wagner, H.-J., Wulle, I., Meerfeld, N. and Wewetzer, K. Characterization of a GABAergic population of interstitial amacrine cells in the teleost retina 31: 1489
WAHL, C.M.
Loew, E R. and Wahl, C.M. A short-wavelength sensitive cone mechanism in juvenile yellow perch, *Perca flavescens* 31: 353
WALI, N.
Leguire, L.E., Zaff, B.S., Freeman, S., Rogers, G.L., Bremer, D.L. and Wali, N. Contrast sensitivity of optokinetic nystagmus 31: 89
WALLMAN, J.
Troilo, D. and Wallman, J. The regulation of eye growth and refractive state: and experimental study of emmetropization 31: 1237
WALRAVEN, J.
Walraven, J. and Werner, J.S. The invariance of unique white; a possible implication for normalizing cone action spectra 31: 2185
WANG, L.
Wang, L. The relationship of luminous intensity and velocity for motion perception and maximum OKN elicitation 31: 1601
WATKINS, R.
Buckingham, T., Watkins, R. and Binnington, J. The effect of spatial parameters on oscillatory movement displacement thresholds 31: 327
WATTAM-BELL, J.
Wattam-Bell, J. Development of motion-specific cortical responses in infancy 31: 287
WEINBERGER, D.R.
Myslobodsky, M.S., Glicksohn, J., Coppola, R. and Weinberger, D.R. Occipital lobe morphology in normal individuals assessed by magnetic resonance imaging (MRI) 31: 1677
WEINSHALL, D.
Weinshall, D. Seeing "ghost" planes in stereo vision 31: 1731
WELLER, W.L.
Buttery, R.., Hinrichsen, C.F.L., Weller, W.L. and Haight, J.R. How thick should a retina be? A comparative study of mammalian species with and without intraretinal vasculature 31: 169
WERNER, J.S.
Walraven, J. and Werner, J.S. The invariance of unique white; a possible implication for normalizing cone action spectra 31: 2185
WERTHEIM, A.H.
de Graaf, B., Wertheim, A.H. and Bles, W. The Aubert-Fleischl paradox does appear in visually induced self-motion 31: 845
WESNER, M.F.
Wesner, M.F., Pokorny, J., Shevell, S.K. and Smith, V.C. Foveal cone detection statistics in color-normals and dichromats 31: 1021
WEWETZER, K.
Wagner, H.-J., Wulle, I., Meerfeld, N. and Wewetzer, K. Characterization of a GABAergic population of interstitial amacrine cells in the teleost retina 31: 1489
VAN WEZEL, R.J.A.
Lankheet, M.J.M., van Wezel, R.J.A. and van de Grind, W.A. Effects of background illumination on cat horizontal cell responses 31: 919
Lankheet, M.J.M., van Wezel, R.J.A. and van de Grind, W.A. Light adaptation and frequency transfer properties of cat horizontal cells 31: 1129
WHITAKER, D.
Whitaker, D. and MacVeigh, D. Interaction of spatial frequency and separation in vernier acuity 31: 1205
WHITTAKER, S.G.
Whittaker, S.G., Cummings, R.W. and Swieson, L.R. Saccade control without a fovea 31: 2209
WIESENFELDER, H.
Wiesenfelder, H. and Blake, R. Apparent motion can survive binocular rivalry suppression 31: 1589

WIETSMA, J.J.
Neumeyer, C., Wietsma, J.J. and Spekreijse, H. Separate processing of "color" and "brightness" in goldfish 31: 537
Spekreijse, H., Wietsma, J.J. and Neumeyer, C. Induced color blindness in goldfish: a behavioral and electrophysiological study 31: 551
Wietsma, J.J. and Spekreijse, H. Bicuculline produces reversible red-green color blindness in goldfish, as revealed by monocular behavioral testing 31: 2101
WIJESUNDRA, S.-A.
Burr, D.C. and Wijesundra, S.-A. Orientation discrimination depends on spatial frequency 31: 1449
WILLIAMS, D.
Williams, D., Tweten, S. and Sekuler, R. Using metamers to explore motion perception 31: 275
WILLIAMS, D.R.
Sekiguchi, N., Williams, D.R. and Packer, O. Nonlinear distortion of gratings at the foveal resolution limit 31: 815
WILLIAMS, M.C.
Williams, M.C., Breitmeyer, B.G., Lovegrove, W.J. and Gutierrez, C. Metacontrast with masks varying in spatial frequency and wavelength 31: 2017
WILSON, H.R.
Blake, R., Yang, Y. and Wilson, H.R. On the coexistence of stereopsis and binocular rivalry 31: 1191
Ferrera, V.P. and Wilson, H.R. Perceived speed of moving two-dimensional patterns 31: 877
Wilson, H.R. Model of peripheral and amblyopic hyperacuity 31: 967
WIOLAND, N.
Rudolf, G., Wioland, N. and Allart, I. Is dopamine involved in the generation of the light peak in the intact chicken eye? 31: 1841
Wioland, N. and Rudolf, G. Light and dark induced variations of the *c*-wave voltage of the chicken eye after treatment with sodium aspartate 31: 643
WONG, T.L.
Badcock, D.R., Wong, T.L. and Coutant, B.E. The impact of jitter on separation discrimination: combination of monocular inputs 31: 247
WORFOLK, R.
Worfolk, R. and Abadi, R.V. Quick phase programming and saccadic re-orientation in congenital nystagmus 31: 1819
WRIGHT, A.A.
Sperling, H.G., Wright, A.A. and Mills, S.L. Color vision following intense green light exposure: data and a model 31: 1797
WULLE, I.
Wagner, H.-J., Wulle, I., Meerfeld, N. and Wewetzer, K. Characterization of a GABAergic population of interstitial amacrine cells in the teleost retina 31: 1489

YAGER, D.
Yager, D. and Kramer, P. A model for perceived spatial frequency and spatial frequency discrimination 31: 1067
YAKIMOFF, N.
Mateeff, S., Bohdanecky, Z., Hohnsbein, J., Ehrenstein, W.H. and Yakimoff, N. A constant latency difference determines directional anisotropy in visual motion perception 31: 2235
Mateeff, S., Yakimoff, N., Hohnsbein, J., Ehrenstein, W.H., Bohdanecky, Z. and Radil, T. Selective directional sensitivity in visual motion perception 31: 131
YAMADA, M.
Low, J.C., Yamada, M. and Djamgoz, M.B.A. Voltage clamp study of electrophysiologically-identified horizontal cells in carp retina 31: 437
YANG, Y.
Blake, R. and Yang, Y. Spatial frequency tuning of human stereopsis 31: 1177
Blake, R., Yang, Y. and Wilson, H.R. On the coexistence of stereopsis and binocular rivalry 31: 1191
YE, M.
Ye, M., Bradley, A., Thibos, L.N. and Zhang, X. Interocular differences in transverse chromatic aberration determine chromostereopsis for small pupils 31: 1787

YEH, Y.-L.
Fulton, A.B., Hansen, R.M., Yeh, Y.-L. and Tyler, C.W. Temporal summation in dark-adapted 10-week old infants 31: 1259

ZAFF, B.S.
Leguire, L.E., Zaff, B.S., Freeman, S., Rogers, G.L., Bremer, D.L. and Wali, N. Contrast sensitivity of optokinetic nystagmus 31: 89
ZAM, Z.S.
Adamus, G., Zam, Z.S., Arendt, A., Palczewski, K., McDowell, J.H. and Hargrave, P.A. Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
ZAUNREITER, M.
Zaunreiter, M., Junger, H. and Kotrschal, K. Retinal morphology of cyprinid fishes: a quantitative histological study of ontogenetic changes and interspecific variation 31: 383
ZHANG, L.
Pelli, D.G. and Zhang, L. Accurate control of contrast on microcomputer displays 31: 1337
ZHANG, X.
Ye, M., Bradley, A., Thibos, L.N. and Zhang, X. Interocular differences in transverse chromatic aberration determine chromostereopsis for small pupils 31: 1787
ZHOW, Y.-x.
Li, C.-Y., Pei, X., Zhow, Y.-x. and von Mitzlaff, H.-C. Role of the extensive area outside the X-cell receptive field in brightness information transmission 31: 1529
ZUEVA, L.V.
Govardovskii, V.I., Byzov, A.L., Zueva, L.V., Polisczuk, N.A. and Baburina, E.A. Spectral characteristics of photoreceptors and horizontal cells in the retina of the Siberian sturgeon *Acipenser baeri* Brandt 31: 2047

SUBJECT INDEX

ABERRATION
Interocular differences in transverse chromatic aberration determine chromostereopsis for small pupils 31: 1787

ABSOLUTE THRESHOLD (*see* DETECTION THRESHOLD)

ACCOMMODATION
Accommodation without pupillary constriction 31: 267
Steady-state and dynamic response properties of the Mandelbaum effect 31: 751
Elasticity of tissues involved in accommodation 31: 1417

ACUITY (*see also* STEREOPSIS; HYPERACUITY)
Electroretinographic changes in aged pigeons 31: 661
Age-dependent changes in visual acuity and retinal morphology in pigeons 31: 669
Visual resolution limits in human albinism 31: 144

ADAPTATION
Long-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1939
Short-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1955

ADAPTATION, CHROMATIC
Color vision following intense green light exposure: data and a model 31: 1797

ADAPTATION, DARK (*see also* BLEACHING)
Dark adapted thresholds in young RCS rats 31: 637
Temporal summation in dark-adapted 10-week old infants 31: 1259
Electroretinographic assessment of background adaptation in 10-week-old human infants 31: 1501

ADAPTATION, LIGHT
Dopamine and plasticity of horizontal cell function in the teleost retina: regulation of a spectral mechanism through D_1-receptors 31: 401
Studies on rod horizontal cell *S*-potential in dependence of the dark/light adapted state: a comparative study in *Cyprinus carpio* and *Scyliorhinus canicula* retinas 31: 425
Separate processing of "color" and "brightness" in goldfish 31: 537
Evidence for an intensity-coding oscillatory potential in the human electroretinogram 31: 767
Effects of background illumination on cat horizontal cell responses 31: 919
Distribution of Vitamin A compounds in bovine eyes after bleaching adaptation 31: 1099
Light adaptation and frequency transfer properties of cat horizontal cells 31: 1129

ADAPTATION, SPATIAL
The site and nature of suppression in squint amblyopia 31: 111
Motion of complex patterns is computed from the perceived motions of their components 31: 139
The time course of adaption to spatial contrast 31: 223
Grating detection and identification: comparison of postadaptation reaction times 31: 915
Polarity specific adaptation to motion in the human visual system 31: 1013
Spatial-frequency-tuned attenuation and enhancement of the steady-state VEP by grating adaptation 31: 1167

AGEING
Electroretinographic changes in aged pigeons 31: 661
Age-dependent changes in visual acuity and retinal morphology in pigeons 31: 669
Visual evoked magnetic fields to flash and pattern in 100 normal subjects 31: 1859

ALIGNMENT (*see* HYPERACUITY)

AMACRINE CELLS
Dendritic morphology of a class of interstitial and normally placed amacrine cells revealed by intracellular Lucifer Yellow injection in carp retina 31: 463
Characterization of a GABAergic population of interstitial amacrine cells in the teleost retina 31: 1489

AMBLYOPIA
The site and nature of suppression in squint amblyopia 31: 111
Vernier acuity of normal and visually deprived cats 31: 253
Model of peripheral and amblyopic hyperacuity 31: 967
Two-dimensional spatial distortions in human strabismic amblyopia 31: 1271

APPARATUS (*see also* TECHNIQUES)
Accurate control of contrast on microcomputer displays 31: 1337
A programmable digital video pattern generator controlled by microprocessor for basic research and clinical applications 31: 1563

ATTENTION (*see* COGNITION)

BINOCULAR RIVALRY (*see also* SUPPRESSION)
Visual responses of nucleus isthmi in a teleost fish (*Lepomis macrochirus*) 31: 525
On the coexistence of stereopsis and binocular rivalry 31: 1191
Apparent motion can survive binocular rivalry suppression 31: 1589

BINOCULAR VISION
Psychophysical measurement of eye drifts and tremor by dichoptic or monocular vernier acuity 31: 209
The impact of jitter on separation discrimination: combination of monocular inputs 31: 247
Steady-state and dynamic response properties of the Mandelbaum effect 31: 751
Depth attraction and repulsion in random dot stereograms 31: 805
Spatial frequency tuning of human stereopsis 31: 1177
Systematic distortions of shape from stereopsis 31: 1351
Sensory interactions during human fusional response 31: 1573
Influence of remote objects on local depth perception 31: 1687
Seeing "ghost" planes in stereo vision 31: 1731
Image segmentation and VEP topography 31: 2039
Interocular correlation, luminance contrast and cyclopean processing 31: 2195

BIPOLAR CELLS
Patterns of glutamate-like immunoreactive bipolar cell axons in the retina of the marine teleost, the dragonet 31: 451

BLEACHING (*see also* ADAPTATION, DARK)
Distribution of Vitamin A compounds in bovine eyes after bleaching adaptation 31: 1099

BRIGHTNESS PERCEPTION
White's effect and assimilation 31: 151
Brightness perception and filling-in 31: 1221
Role of the extensive area outside the X-cell receptive field in brightness information transmission 31: 1529

BROCA-SULZER EFFECT (*see* BRIGHTNESS PERCEPTION)

CELLS (*see* AMACRINE CELLS; BIPOLAR CELLS; GANGLION CELLS; HORIZONTAL CELLS; CORTEX)

CHANNELS
Inhibitory refinement of spatial frequency selectivity in single cells of the cat striate cortex 31: 933
A transducer model for contrast perception 31: 983
A model for perceived spatial frequency and spatial frequency discrimination 31: 1067
Spatial frequency tuning of human stereopsis 31: 1177
Interaction of spatial frequency and separation in vernier acuity 31: 1205
Spatial localization across channels 31: 1627
A comment on "Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages" 31: 1655
Perceptual correlates of magnocellular and parvocellular channels; seeing form and depth in afterimages. Reply to Hubel and Livingstone 31: 1657
The local border mechanism in grating induction 31: 1999

Metacontrast with masks varying in spatial frequency and wavelength 31: 2017

CHROMATIC ABERRATION (*see* ABERRATION)

CHROMATIC CONTRAST (*see* COLOR CONTRAST)

COGNITION
Color in visual search 31: 951
Texture segmentation and pop-out from orientation contrast 31: 1073

COLOR ANOMALY
Bicuculline produces reversible red-green color blindness in goldfish, as revealed by monocular behavioral testing 31: 2101

COLOR APPEARANCE
The contribution of chromatic and achromatic valence to spectral saturation 31: 237
Temporal phase response of the short-wave cone signal for color and luminance 31: 787
Temporal differences between color pathways within the retina as a possible origin of subjective colors 31: 1541
The invariance of unique white; a possible implication for normalizing cone action spectra 31: 2185
Detection of chromatic deviations from white across the human visual field 31: 2227

COLOR BLINDNESS (*see* COLOR ANOMALY; DICHROMACY)

COLOR CODING
Induced color blindness in goldfish: a behavioral and electrophysiological study 31: 551
Color in visual search 31: 951
Color opponent coding in the visual system of the honeybee 31: 1381
Image segmentation and VEP topography 31: 2039
Bicuculline produces reversible red-green color blindness in goldfish, as revealed by monocular behavioral testing 31: 2101

COLOR CONTRAST
The relationship between simple and double opponent cells 31: 33
Colour vision as a post-receptoral specialization of the central visual field 31: 119
Variation in the appearance of guppy color patterns to guppies and their predators under different visual conditions 31: 587
Vernier acuity: effects of chromatic content, blur and contrast 31: 735
Two carriers for motion perception: color and luminance 31: 1883
The role of colour as a monocular depth cue 31: 1923
The contribution of color to motion in normal and color-deficient observers 31: 2109

COLOR DISCRIMINATION
Color opponent coding in the visual system of the honeybee 31: 1381

COLOR OPPONENCY
The relationship between simple and double opponent cells 31: 33
Color in visual search 31: 951
Reversal potentials of color opponent responses in horizontal cells of the carp retina 31: 1159
Color opponent coding in the visual system of the honeybee 31: 1381
Color vision following intense green light exposure: data and a model 31: 1797

CONES (*see also* PHOTORECEPTORS)
The temporal properties of the human short-wave photoreceptors and their associated pathways 31: 189
Ultraviolet-sensitive cones in the goldfish 31: 349
A short-wavelength sensitive cone mechanism in juvenile yellow perch, *Perca flavescens* 31: 353
Spatial summation of cone mechanisms in goldfish 31: 563
Ultraviolet photoreception in carp: microspectrophotometry and behaviorally determined action spectra 31: 567
Temporal phase response of the short-wave cone signal for color and luminance 31: 787
Nonlinear distortion of gratings at the foveal resolution limit 31: 815
Foveal cone detection statistics in color-normals and dichromats 31: 1021

Bicuculline produces reversible red-green color blindness in goldfish, as revealed by monocular behavioral testing 31: 2101
The invariance of unique white; a possible implication for normalizing cone action spectra 31: 2185

CONTOUR PERCEPTION
Parallel perception of vernier offsets, curvature, and chevrons in humans 31: 2149

CONTRAST DISCRIMINATION
A model for contrast discrimination with incremental and decremental test patches 31: 851

CONTRAST FLASH (*see* MASKING)

CONTRAST PERCEPTION
A transducer model for contrast perception 31: 983
Visual evoked potential responses of the anesthetized cat to contrast modulation of grating patterns 31: 1509
Spatial interactions in apparent contrast: inhibitory effects among grating patterns of different spatial frequencies, spatial positions and orientations 31: 1985
The local border mechanism in grating induction 31: 1999

CONTRAST SENSITIVITY
Contrast sensitivity of optokinetic nystagmus 31: 89
Colour vision as a post-receptoral specialization of the central visual field 31: 119
The time course of adaption to spatial contrast 31: 223
Spatial contrast sensitivity of goldfish: mean luminance, temporal frequency and a new psychophysical technique 31: 577
A transducer model for contrast perception 31: 983
The shift effect can be elicited with both foveal and peripheral masks 31: 1251
Object spatial frequencies, retinal spatial frequencies, noise, and the efficiency of letter discrimination 31: 1399
A method for estimating the minimum visual stimulus that evokes a behavioural response in the drone, *Apis mellifera* 31: 1453

CORTEX
The relationship between simple and double opponent cells 31: 33
On the responses of simple and complex cells to random dot patterns 31: 43
On the response of simple and complex cells to random dot patterns: a reply to Skottun, Grosof and De Valois 31: 47
Inhibitory refinement of spatial frequency selectivity in single cells of the cat striate cortex 31: 933
Classifying simple and complex cells on the basis of response modulation 31: 1079
Striate cortical contribution to the surface-recorded pattern-reversal VEP in the alert monkey 31: 1143
Temporal integration in cat visual cortex: a test of Bloch's law 31: 1517
Optimal spatial displacement for direction selectivity in cat visual cortex neurons 31: 1659
Occipital lobe morphology in normal individuals assessed by magnetic resonance imaging (MRI) 31: 1677
Visual field asymmetries in pattern discrimination: a sign of asymmetry in cortical visual field representation? 31: 1831
Interaction of visually guided saccades with saccades induced by electrical stimulation of the posterior parietal cortex in the monkey 31: 2065

CRAIK-O'BRIEN EFFECT (*see* CONTOUR PERCEPTION)

DEPTH PERCEPTION
Steady-state and dynamic response properties of the Mandelbaum effect 31: 751
Depth attraction and repulsion in random dot stereograms 31: 805
Sensory interactions during human fusional response 31: 1573
Stereopsis from motion-defined contours 31: 1611
A comment on "Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages" 31: 1655
Perceptual correlates of magnocellular and parvocellular channels; seeing form and depth in afterimages. Reply to Hubel and Livingstone 31: 1657

Influence of remote objects on local depth perception 31: 1687
Seeing "ghost" planes in stereo vision 31: 1731
Interocular differences in transverse chromatic aberration determine chromostereopsis for small pupils 31: 1787
The role of colour as a monocular depth cue 31: 1923
Short- and long-range processes in structure-from-motion 31: 2025
The cyclopean Ternus display and the perception of element versus group movement 31: 2085
Stereo-thresholds: simultaneity, target proximity and eye movements 31: 2093

DETECTION THRESHOLD
A horizontal stripe of displacement sensitivity in the human visual field 31: 99
Grating detection and identification: comparison of postadaptation reaction times 31: 915
The relative contributions of pre-neural and neural factors to areal summation in the fovea 31: 1369
Metacontrast with masks varying in spatial frequency and wavelength 31: 2017

DEUTERANOPIA (*see* DICHROMACY)

DEVELOPMENT
Vernier acuity of normal and visually deprived cats 31: 253
Development of motion-specific cortical responses in infancy 31: 287
Optical development of the ocular lens of an elasmobranch, *Raja elanteria* 31: 373
Retinal morphology of cyprinid fishes: a quantitative histological study of ontogenetic changes and interspecific variation 31: 383
Properties of the feedback loops controlling eye growth and refractive state in the chicken 31: 717
Refractive-error changes in kitten eyes produced by chronic ON-channel blockade 31: 833
The regulation of eye growth and refractive state: and experimental study of emmetropization 31: 1237
Temporal summation in dark-adapted 10-week old infants 31: 1259
Electroretinographic assessment of background adaptation in 10-week-old human infants 31: 1501
Luminance sensitivity recovers quickly in monocularly deprived cats 31: 1633
Infant eye movements: quantification of the vestibulo-ocular reflex and visual-vestibular interactions 31: 1717
Psychophysical measurement of spectral sensitivity and color vision in red-light-reared tree shrews (*Tupaia belangeri*) 31: 1749
Transmission of light across the adult and neonatal eyelid (*in vivo*) 31: 1837

DICHROMACY
The modelling of optimal visual pigments of dichromatic teleosts in green coastal waters 31: 361
Induced color blindness in goldfish: a behavioral and electrophysiological study 31: 551
Foveal cone detection statistics in color-normals and dichromats 31: 1021
The contribution of color to motion in normal and color-deficient observers 31: 2109

DIPLOPIA (*see* BINOCULAR VISION)

DIRECTIONAL SELECTIVITY
Selective directional sensitivity in visual motion perception 31: 131
First-order and second-order visual processes in the perception of motion and tilt 31: 161
Using metamers to explore motion perception 31: 275
On the half-cycle displacement limit of sampled directional motion 31: 649
Is there a half-cycle displacement limit for directional motion detection? 31: 761
Yes, there is a half-cycle displacement limit for directional motion detection 31: 763
Optimal spatial displacement for direction selectivity in cat visual cortex neurons 31: 1659
A constant latency difference determines directional anisotropy in visual motion perception 31: 2235

DISPARITY (*see* BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (*see* PERIPHERAL VISION)

ELECTRORETINOGRAM
The scotopic threshold response of the cat ERG is suppressed selectively by GABA and glycine 31: 1

Light and dark induced variations of the *c*-wave voltage of the chicken eye after treatment with sodium aspartate 31: 643
Electroretinographic changes in aged pigeons 31: 661
Evidence for an intensity-coding oscillatory potential in the human electroretinogram 31: 767
Effects of IBMX on the rod ERG of the isolated perfused cat eye: antagonism with light, calcium or L-*cis*-diltiazem 31: 1093
Temporal summation in dark-adapted 10-week old infants 31: 1259
Electroretinographic assessment of background adaptation in 10-week-old human infants 31: 1501
A new cornea-positive component to the ERG of the aspartate-treated frog retina? 31: 1669
The effect of a slow flicker on the human photopic oscillatory potentials 31: 1851
Temporal relationship between the ERG and geniculate unit activity in rabbit: influence of background luminance 31: 2033

EVOKED POTENTIALS
Development of motion-specific cortical responses in infancy 31: 287
Striate cortical contribution to the surface-recorded pattern-reversal VEP in the alert monkey 31: 1143
Spatial-frequency-tuned attenuation and enhancement of the steady-state VEP by grating adaptation 31: 1167
Spatial organization of nonlinear interactions in form perception 31: 1457
Visual evoked potential responses of the anesthetized cat to contrast modulation of grating patterns 31: 1509
Occipital lobe morphology in normal individuals assessed by magnetic resonance imaging (MRI) 31: 1677
Visual evoked magnetic fields to flash and pattern in 100 normal subjects 31: 1859
Time-till-breakdown and VEP measures of short-range apparent motion 31: 1865
Image segmentation and VEP topography 31: 2039

EYE MOVEMENTS
Psychophysical measurement of eye drifts and tremor by dichoptic or monocular vernier acuity 31: 209
The impact of jitter on separation discrimination: combination of monocular inputs 31: 247
Sensorimotor transformation during eye movements to remembered visual targets 31: 693
The existence of a center of gravity effect during reading 31: 1289
Exploring the third dimension with eye movements: better than stereopsis 31: 1549
Quick phase programming and saccadic re-orientation in congenital nystagmus 31: 1819
Natural coordinates for specification of eye movements 31: 2029
Stereo-thresholds: simultaneity, target proximity and eye movements 31: 2093
Saccade control without a fovea 31: 2209

EYE MOVEMENTS, OPTOKINETIC NYSTAGMUS
Contrast sensitivity of optokinetic nystagmus 31: 89
The Aubert-Fleischl paradox does appear in visually induced self-motion 31: 845
Optokinetic torsion: dynamics and relation to circularvection 31: 1327
Visual resolution limits in human albinism 31: 1445
The relationship of luminous intensity and velocity for motion perception and maximum OKN elicitation 31: 1601
Eye movements and the motion aftereffect: alternatives to the induced motion hypothesis 31: 1639
Induced rotary motion and ocular torsion 31: 1979
The effects of simultaneous central and peripheral field motion on the optokinetic response 31: 2219

EYE MOVEMENTS, SACCADIC
The existence of a center of gravity effect during reading 31: 1289
Increase in saccadic peak velocity with increased frequency of saccades in man 31: 1439
Quick phase programming and saccadic re-orientation in congenital nystagmus 31: 1819
The time courses of visual mislocalization and of extraretinal eye position signals at the time of vertical saccades 31: 1915
Long-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1939
Short-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1955
Against the existence of a range effect during reading 31: 2009
Natural coordinates for specification of eye movements 31: 2029

Flicker distorts visual space constancy 31: 2057
Interaction of visually guided saccades with saccades induced by electrical stimulation of the posterior parietal cortex in the monkey 31: 2065
Saccade control without a fovea 31: 2209

EYE MOVEMENTS, SMOOTH PURSUIT
Eye movements and the motion aftereffect: alternatives to the induced motion hypothesis 31: 1639
Judging object motion during smooth pursuit eye movements: the role of optic flow 31: 1893
Long-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1939
Short-term nonconjugate adaptation of human saccades to anisometropic spectacles 31: 1955

EYE MOVEMENTS, TORSIONAL
Optokinetic torsion: dynamics and relation to circularvection 31: 1327
Induced rotary motion and ocular torsion 31: 1979

EYE MOVEMENTS, VERGENCE
Exploring the third dimension with eye movements: better than stereopsis 31: 1549
Stereo-thresholds: simultaneity, target proximity and eye movements 31: 2093

EYE MOVEMENTS, VESTIBULO-OCULAR
Infant eye movements: quantification of the vestibulo-ocular reflex and visual-vestibular interactions 31: 1717

FLICKER
The temporal properties of the human short-wave photoreceptors and their associated pathways 31: 189
The contribution of chromatic and achromatic valence to spectral saturation 31: 237
Temporal phase response of the short-wave cone signal for color and luminance 31: 787
Vernier acuity with stationary moving Gabors 31: 1619
The effect of a slow flicker on the human photopic oscillatory potentials 31: 1851
Critical flicker frequency to red targets as a function of luminance and flux across the human visual field 31: 1875
Flicker distorts visual space constancy 31: 2057

FORM PERCEPTION
Human perception of structure from motion 31: 59
The kinetic depth effect and optic flow - II. First- and second-order motion 31: 859
Brightness perception and filling-in 31: 1221
Systematic distortions of shape from stereopsis 31: 1351
Spatial organization of nonlinear interactions in form perception 31: 1457
A comment on "Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages" 31: 1655
Perceptual correlates of magnocellular and parvocellular channels; seeing form and depth in afterimages. Reply to Hubel and Livingstone 31: 1657

FOVEA
Colour vision as a post-receptoral specialization of the central visual field 31: 119
Foveal cone detection statistics in color-normals and dichromats 31: 1021
The shift effect can be elicited with both foveal and peripheral masks 31: 1251
Discrimination of spatial phase shows a qualitative difference between foveal and peripheral processing 31: 1315
The relative contributions of pre-neural and neural factors to areal summation in the fovea 31: 1369
The effects of contrast, spatial scale, and orientation on foveal and peripheral phase discrimination 31: 1759
The effects of simultaneous central and peripheral field motion on the optokinetic response 31: 2219

GAIN CONTROL
Spatial characteristics of the contrast gain control in the cat's retina 31: 775
A model for contrast discrimination with incremental and decremental test patches 31: 851

GANGLION CELLS
The relationship between simple and double opponent cells 31: 33

A horizontal stripe of displacement sensitivity in the human visual field 31: 99
Regenerative sodium and calcium currents in goldfish retinal ganglion cell somata 31: 477
Ganglion cells in the goldfish retina: correlation of light-evoked response and morphology 31: 487
Retention of retinal axon collateral is responsible for induced ipsilateral retinotectal projections in adult goldfish 31: 499
Separate processing of "color" and "brightness" in goldfish 31: 537
Spatial summation of cone mechanisms in goldfish 31: 563
Spatial characteristics of the contrast gain control in the cat's retina 31: 775
Refractive-error changes in kitten eyes produced by chronic ON-channel blockade 31: 833
Role of the extensive area outside the X-cell receptive field in brightness information transmission 31: 1529
Temporal relationship between the ERG and geniculate unit activity in rabbit: influence of background luminance 31: 2033

GRATINGS (*see also* SPATIAL FREQUENCY)
When orthogonal orientations are not processed independently 31: 51
Grating detection and identification: comparison of postadaptation reaction times 31: 915
Polarity specific adaptation to motion in the human visual system 31: 1013
Conditions for the detection of coherent motion 31: 1039
Classifying simple and complex cells on the basis of response modulation 31: 1079
Spatial-frequency-tuned attenuation and enhancement of the steady-state VEP by grating adaptation 31: 1167
Interaction of spatial frequency and separation in vernier acuity 31: 1205
Discrimination of spatial phase shows a qualitative difference between foveal and peripheral processing 31: 1315
Orientation discrimination depends on spatial frequency 31: 1449
Visual evoked potential responses of the anesthetized cat to contrast modulation of grating patterns 31: 1509
The relationship of luminous intensity and velocity for motion perception and maximum OKN elicitation 31: 1601
Vernier acuity with stationary moving Gabors 31: 1619
Optimal spatial displacement for direction selectivity in cat visual cortex neurons 31: 1659
Occlusion and the perception of coherent motion 31: 1967
Spatial interactions in apparent contrast: inhibitory effects among grating patterns of different spatial frequencies, spatial positions and orientations 31: 1985
The local border mechanism in grating induction 31: 1999
Image segmentation and VEP topography 31: 2039
The contribution of color to motion in normal and color-deficient observers 31: 2109

HORIZONTAL CELLS
Dopamine and plasticity of horizontal cell function in the teleost retina: regulation of a spectral mechanism through D_1-receptors 31: 401
Characteristics of single-channels activated by quisqualate and kainate in teleost retinal horizontal cells 31: 413
Studies on rod horizontal cell *S*-potential in dependence of the dark/light adapted state: a comparative study in *Cyprinus carpio* and *Scyliorhinus canicula* retinas 31: 425
Voltage clamp study of electrophysiologically-identified horizontal cells in carp retina 31: 437
Induced color blindness in goldfish: a behavioral and electrophysiological study 31: 551
Non-NMDA type excitatory amino acid receptors mediate rod input to horizontal cells in the isolated rat retina 31: 609
Synaptic inputs to turtle horizontal cells analyzed after blocking of gap junctions by intracellular injection of cyclic nucleotides 31: 631
Effects of background illumination on cat horizontal cell responses 31: 919
Population study of horizontal cells in live carp retinas using micro-injections of horseradish peroxidase 31: 1107
Light adaptation and frequency transfer properties of cat horizontal cells 31: 1129
Reversal potentials of color opponent responses in horizontal cells of the carp retina 31: 1159
Spectral characteristics of photoreceptors and horizontal cells in the retina of the Siberian sturgeon *Acipenser baeri* Brandt 31: 2047

Bicuculline produces reversible red-green color blindness in goldfish, as revealed by monocular behavioral testing 31: 2101

HYPERACUITY
Psychophysical measurement of eye drifts and tremor by dichoptic or monocular vernier acuity 31: 209
The impact of jitter on separation discrimination: combination of monocular inputs 31: 247
Vernier acuity of normal and visually deprived cats 31: 253
Vernier acuity: effects of chromatic content, blur and contrast 31: 735
Model of peripheral and amblyopic hyperacuity 31: 967
Interaction of spatial frequency and separation in vernier acuity 31: 1205
Vernier acuity with stationary moving Gabors 31: 1619
Spatial localization across channels 31: 1627
Spatial-interval discrimination in two-dimensions 31: 1931
Efficiency of locating centres of dot-clusters by human observers 31: 2075
Parallel perception of vernier offsets, curvature, and chevrons in humans 31: 2149

ILLUSION
White's effect and assimilation 31: 151
A context-dependent illusion in the perception of velocity 31: 333
Contribution of transient and sustained responses to the perception of apparent motion 31: 999
Eye movements and the motion aftereffect: alternatives to the induced motion hypothesis 31: 1639
Visual phenomena without low spatial frequencies: a closer look 31: 1647
Psychophysical evidence for low-level processing of illusory contours and surfaces in the Kanizsa square 31: 1813
Time-till-breakdown and VEP measures of short-range apparent motion 31: 1865
Two carriers for motion perception: color and luminance 31: 1883
Induced rotary motion and ocular torsion 31: 1979

INCREMENT THRESHOLD
The scotopic threshold response of the cat ERG is suppressed selectively by GABA and glycine 31: 1
A model for contrast discrimination with incremental and decremental test patches 31: 851
Visual sensitivity to spatially sampled modulation in human observers 31: 895
Effects of background illumination on cat horizontal cell responses 31: 919
A model for perceived spatial frequency and spatial frequency discrimination 31: 1067
Luminance sensitivity recovers quickly in monocularly deprived cats 31: 1633
Psychophysical evidence for low-level processing of illusory contours and surfaces in the Kanizsa square 31: 1813

IRIS
Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
Patterns of glutamate-like immunoreactive bipolar cell axons in the retina of the marine teleost, the dragonet 31: 451
Dependence of intraocular straylight on pigmentation and light transmission through the ocular wall 31: 1361
Characterization of a GABAergic population of interstitial amacrine cells in the teleost retina 31: 1489

ISOLUMINANCE (*see* COLOR CONTRAST)

LATENCY
Selective directional sensitivity in visual motion perception 31: 131
The temporal properties of the human short-wave photoreceptors and their associated pathways 31: 189
Temporal phase response of the short-wave cone signal for color and luminance 31: 787
Temporal integration in cat visual cortex: a test of Bloch's law 31: 1517
Temporal differences between color pathways within the retina as a possible origin of subjective colors 31: 1541
The contribution of color to motion in normal and color-deficient observers 31: 2109
A constant latency difference determines directional anisotropy in visual motion perception 31: 2235

LATERAL INHIBITION
A context-dependent illusion in the perception of velocity 31: 333
Brightness perception and filling-in 31: 1221
Spatial interactions in apparent contrast: inhibitory effects among grating patterns of different spatial frequencies, spatial positions and orientations 31: 1985

LENS
Optical development of the ocular lens of an elasmobranch, *Raja elanteria* 31: 373
Elasticity of tissues involved in accommodation 31: 1417

LUMINANCE
Spatial contrast sensitivity of goldfish: mean luminance, temporal frequency and a new psychophysical technique 31: 577
Temporal phase response of the short-wave cone signal for color and luminance 31: 787
The relationship of luminous intensity and velocity for motion perception and maximum OKN elicitation 31: 1601
Luminance sensitivity recovers quickly in monocularly deprived cats 31: 1633
Critical flicker frequency to red targets as a function of luminance and flux across the human visual field 31: 1875
Two carriers for motion perception: color and luminance 31: 1883
Temporal relationship between the ERG and geniculate unit activity in rabbit: influence of background luminance 31: 2033
Image segmentation and VEP topography 31: 2039
Interocular correlation, luminance contrast and cyclopean processing 31: 2195

MACH BANDS (*see* CONTOUR PERCEPTION)

MASKING
When orthogonal orientations are not processed independently 31: 51
Different effects from spatial frequency masking in texture segregation and texton detection tasks 31: 299
Visual sensitivity to spatially sampled modulation in human observers 31: 895
Nonadditivity of masking by narrow-band noises 31: 1053
Spatial frequency tuning of human stereopsis 31: 1177
Stimulus-specific mechanisms of visual short-term memory 31: 1213
Brightness perception and filling-in 31: 1221
The shift effect can be elicited with both foveal and peripheral masks 31: 1251
Visual evoked potential responses of the anesthetized cat to contrast modulation of grating patterns 31: 1509
Apparent motion can survive binocular rivalry suppression 31: 1589
Metacontrast with masks varying in spatial frequency and wavelength 31: 2017

MORPHOLOGY (*see* NEUROANATOMY)

MOVEMENT PERCEPTION
Human perception of structure from motion 31: 59
Motion detection is dependent on spatial frequency not size 31: 77
Selective directional sensitivity in visual motion perception 31: 131
Motion of complex patterns is computed from the perceived motions of their components 31: 139
First-order and second-order visual processes in the perception of motion and tilt 31: 161
Using metamers to explore motion perception 31: 275
Development of motion-specific cortical responses in infancy 31: 287
The separability of temporal frequency and velocity 31: 321
The effect of spatial parameters on oscillatory movement displacement thresholds 31: 327
A context-dependent illusion in the perception of velocity 31: 333
On the half-cycle displacement limit of sampled directional motion 31: 649
Is there a half-cycle displacement limit for directional motion detection? 31: 761
Yes, there is a half-cycle displacement limit for directional motion detection 31: 763
The Aubert-Fleischl paradox does appear in visually induced self-motion 31: 845
The kinetic depth effect and optic flow - II. First- and second-order motion 31: 859
Perceived speed of moving two-dimensional patterns 31: 877

The temporal integration and resolution of velocity signals 31: 907
Contribution of transient and sustained responses to the perception of apparent motion 31: 999
Polarity specific adaptation to motion in the human visual system 31: 1013
Conditions for the detection of coherent motion 31: 1039
Apparent motion can survive binocular rivalry suppression 31: 1589
The relationship of luminous intensity and velocity for motion perception and maximum OKN elicitation 31: 1601
Stereopsis from motion-defined contours 31: 1611
Eye movements and the motion aftereffect: alternatives to the induced motion hypothesis 31: 1639
Time-till-breakdown and VEP measures of short-range apparent motion 31: 1865
Two carriers for motion perception: color and luminance 31: 1883
Judging object motion during smooth pursuit eye movements: the role of optic flow 31: 1893
Occlusion and the perception of coherent motion 31: 1967
Induced rotary motion and ocular torsion 31: 1979
Short- and long-range processes in structure-from-motion 31: 2025
The cyclopean Ternus display and the perception of element versus group movement 31: 2085
The contribution of color to motion in normal and color-deficient observers 31: 2109
A constant latency difference determines directional anisotropy in visual motion perception 31: 2235

NEUROANATOMY
Retinal morphology of cyprinid fishes: a quantitative histological study of ontogenetic changes and interspecific variation 31: 383
Patterns of glutamate-like immunoreactive bipolar cell axons in the retina of the marine teleost, the dragonet 31: 451
Dendritic morphology of a class of interstitial and normally placed amacrine cells revealed by intracellular Lucifer Yellow injection in carp retina 31: 463
Ganglion cells in the goldfish retina: correlation of light-evoked response and morphology 31: 487
Retention of retinal axon collateral is responsible for induced ipsilateral retinotectal projections in adult goldfish 31: 499
Visual responses of morphologically identified tectal cells in the goldfish 31: 507
Age-dependent changes in visual acuity and retinal morphology in pigeons 31: 669
Population study of horizontal cells in live carp retinas using micro-injections of horseradish peroxidase 31: 1107

NEUROCHEMISTRY
The scotopic threshold response of the cat ERG is suppressed selectively by GABA and glycine 31: 1
Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
Light onset stimulates tryosine hydroxylase activity in isolated teleost retinas 31: 395
Dopamine and plasticity of horizontal cell function in the teleost retina: regulation of a spectral mechanism through D_1-receptors 31: 401
Characteristics of single-channels activated by quisqualate and kainate in teleost retinal horizontal cells 31: 413
Patterns of glutamate-like immunoreactive bipolar cell axons in the retina of the marine teleost, the dragonet 31: 451
Non-NMDA type excitatory amino acid receptors mediate rod input to horizontal cells in the isolated rat retina 31: 609
Synaptic inputs to turtle horizontal cells analyzed after blocking of gap junctions by intracellular injection of cyclic nucleotides 31: 631
Light and dark induced variations of the *c*-wave voltage of the chicken eye after treatment with sodium aspartate 31: 643
Effects of IBMX on the rod ERG of the isolated perfused cat eye: antagonism with light, calcium or L-*cis*-diltiazem 31: 1093
Muscarinic acetylcholine receptor-mediated phosphoinositide turnover in cultured human retinal pigment epithelium cells 31: 1119
Reversal potentials of color opponent responses in horizontal cells of the carp retina 31: 1159
Characterization of a GABAergic population of interstitial amacrine cells in the teleost retina 31: 1489
A new cornea-positive component to the ERG of the aspartate-treated frog retina? 31: 1669
Is dopamine involved in the generation of the light peak in the intact chicken eye? 31: 1841

Bicuculline produces reversible red-green color blindness in goldfish, as revealed by monocular behavioral testing 31: 2101

NEUROTRANSMITTER (*see* NEUROCHEMISTRY)

NOISE
Psychophysical measurement of eye drifts and tremor by dichoptic or monocular vernier acuity 31: 209
The impact of jitter on separation discrimination: combination of monocular inputs 31: 247
Nonadditivity of masking by narrow-band noises 31: 1053
Object spatial frequencies, retinal spatial frequencies, noise, and the efficiency of letter discrimination 31: 1399

OCULAR DIMENSIONS
Optical development of the ocular lens of an elasmobranch, *Raja elanteria* 31: 373
Properties of the feedback loops controlling eye growth and refractive state in the chicken 31: 717
Refractive-error changes in kitten eyes produced by chronic ON-channel blockade 31: 833
The regulation of eye growth and refractive state: and experimental study of emmetropization 31: 1237

OCULAR MEDIA
Ultraviolet photoreception in carp: microspectrophotometry and behaviorally determined action spectra 31: 567

OPTIC TECTUM
Retention of retinal axon collateral is responsible for induced ipsilateral retinotectal projections in adult goldfish 31: 499
Visual responses of morphologically identified tectal cells in the goldfish 31: 507
Visual responses of nucleus isthmi in a teleost fish (*Lepomis macrochirus*) 31: 525

ORIENTATION PERCEPTION
When orthogonal orientations are not processed independently 31: 51
Texture segregation and orientation gradient 31: 679
Texture segmentation and pop-out from orientation contrast 31: 1073
Orientation discrimination depends on spatial frequency 31: 1449
Segregation of some mesh-derived textures evaluated by free viewing 31: 1701
Parallel perception of vernier offsets, curvature, and chevrons in humans 31: 2149

PERIPHERAL VISION
A horizontal stripe of displacement sensitivity in the human visual field 31: 99
Colour vision as a post-receptoral specialization of the central visual field 31: 119
The time course of adaption to spatial contrast 31: 223
Model of peripheral and amblyopic hyperacuity 31: 967
The shift effect can be elicited with both foveal and peripheral masks 31: 1251
Discrimination of spatial phase shows a qualitative difference between foveal and peripheral processing 31: 1315
The effects of contrast, spatial scale, and orientation on foveal and peripheral phase discrimination 31: 1759
Visual field asymmetries in pattern discrimination: a sign of asymmetry in cortical visual field representation? 31: 1831
Critical flicker frequency to red targets as a function of luminance and flux across the human visual field 31: 1875
Against the existence of a range effect during reading 31: 2009
Saccade control without a fovea 31: 2209
The effects of simultaneous central and peripheral field motion on the optokinetic response 31: 2219
Detection of chromatic deviations from white across the human visual field 31: 2227

PHASE SENSITIVITY
Discrimination of spatial phase shows a qualitative difference between foveal and peripheral processing 31: 1315
The effects of contrast, spatial scale, and orientation on foveal and peripheral phase discrimination 31: 1759

PHOTOPIGMENTS
Anti-rhodopsin monoclonal antibodies of defined specificity: characterization and application 31: 17
The scotopic photoreceptors and their visual pigments of fishes: functions and adaptations 31: 339
Ultraviolet-sensitive cones in the goldfish 31: 349
A short-wavelength sensitive cone mechanism in juvenile yellow perch, *Perca flavescens* 31: 353
The modelling of optimal visual pigments of dichromatic teleosts in green coastal waters 31: 361
A new template for rhodopsin (vitamin A_1 based) visual pigments 31: 619
The gecko visual pigment: the anion hypsochromic effect 31: 945
Light-induced, GTP-binding protein mediated membrane currents of *Xenopus* oocytes injected with rhodopsin of cephalopods 31: 1087
Distribution of Vitamin A compounds in bovine eyes after bleaching adaptation 31: 1099

PHOTORECEPTORS (*see also* CONES; RODS)
The scotopic photoreceptors and their visual pigments of fishes: functions and adaptations 31: 339
Ultraviolet-sensitive cones in the goldfish 31: 349
A short-wavelength sensitive cone mechanism in juvenile yellow perch, *Perca flavescens* 31: 353
Spectral characteristics of photoreceptors and horizontal cells in the retina of the Siberian sturgeon *Acipenser baeri* Brandt 31: 2047

PIGMENT EPITHELIUM
Muscarinic acetylcholine receptor-mediated phosphoinositide turnover in cultured human retinal pigment epithelium cells 31: 1119
Is dopamine involved in the generation of the light peak in the intact chicken eye? 31: 1841

PROTANOPIA (*see* DICHROMACY)

PUPILS
Accommodation without pupillary constriction 31: 267

READING
The existence of a center of gravity effect during reading 31: 1289
Against the existence of a range effect during reading 31: 2009

RECEPTIVE FIELDS (*see also* individual cell types)
Spatial summation of cone mechanisms in goldfish 31: 563
Spatial characteristics of the contrast gain control in the cat's retina 31: 775
Inhibitory refinement of spatial frequency selectivity in single cells of the cat striate cortex 31: 933
Role of the extensive area outside the X-cell receptive field in brightness information transmission 31: 1529

RECEPTOR POTENTIAL (*see* CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Properties of the feedback loops controlling eye growth and refractive state in the chicken 31: 717
Refractive-error changes in kitten eyes produced by chronic ON-channel blockade 31: 833
The regulation of eye growth and refractive state: and experimental study of emmetropization 31: 1237

ROD-CONE INTERACTION (*see* CONES; RODS)

RODS (*see also* PHOTORECEPTORS)
The scotopic photoreceptors and their visual pigments of fishes: functions and adaptations 31: 339
Non-NMDA type excitatory amino acid receptors mediate rod input to horizontal cells in the isolated rat retina 31: 609
Effects of IBMX on the rod ERG of the isolated perfused cat eye: antagonism with light, calcium or L-*cis*-diltiazem 31: 1093

SACCADES (*see* EYE-MOVEMENTS, SACCADIC)

SACCADIC SUPPRESSION (*see* SUPPRESSION)

SATURATION
The contribution of chromatic and achromatic valence to spectral saturation 31: 237

SCHEMATIC EYE (*see* OCULAR DIMENSIONS)

SCOTOPIC VISION
The scotopic threshold response of the cat ERG is suppressed selectively by GABA and glycine 31: 1
Electroretinographic assessment of background adaptation in 10-week-old human infants 31: 1501

SPATIAL FREQUENCY
Motion detection is dependent on spatial frequency not size 31: 77
Contrast sensitivity of optokinetic nystagmus 31: 89
Motion of complex patterns is computed from the perceived motions of their components 31: 139
Different effects from spatial frequency masking in texture segregation and texton detection tasks 31: 299
On the half-cycle displacement limit of sampled directional motion 31: 649
Texture segregation and orientation gradient 31: 679
Is there a half-cycle displacement limit for directional motion detection? 31: 761
Yes, there is a half-cycle displacement limit for directional motion detection 31: 763
Perceived speed of moving two-dimensional patterns 31: 877
Visual sensitivity to spatially sampled modulation in human observers 31: 895
Grating detection and identification: comparison of postadaptation reaction times 31: 915
Inhibitory refinement of spatial frequency selectivity in single cells of the cat striate cortex 31: 933
Contribution of transient and sustained responses to the perception of apparent motion 31: 999
A model for perceived spatial frequency and spatial frequency discrimination 31: 1067
Classifying simple and complex cells on the basis of response modulation 31: 1079
Spatial-frequency-tuned attenuation and enhancement of the steady-state VEP by grating adaptation 31: 1167
Spatial frequency tuning of human stereopsis 31: 1177
On the coexistence of stereopsis and binocular rivalry 31: 1191
Interaction of spatial frequency and separation in vernier acuity 31: 1205
Stimulus-specific mechanisms of visual short-term memory 31: 1213
The shift effect can be elicited with both foveal and peripheral masks 31: 1251
Object spatial frequencies, retinal spatial frequencies, noise, and the efficiency of letter discrimination 31: 1399
Orientation discrimination depends on spatial frequency 31: 1449
Sensory interactions during human fusional response 31: 1573
Visual phenomena without low spatial frequencies: a closer look 31: 1647
Optimal spatial displacement for direction selectivity in cat visual cortex neurons 31: 1659
Segregation of some mesh-derived textures evaluated by free viewing 31: 1701
Spatial interactions in apparent contrast: inhibitory effects among grating patterns of different spatial frequencies, spatial positions and orientations 31: 1985
Metacontrast with masks varying in spatial frequency and wavelength 31: 2017

SPATIAL VISION
When orthogonal orientations are not processed independently 31: 51
Sensorimotor transformation during eye movements to remembered visual targets 31: 693
Nonlinear distortion of gratings at the foveal resolution limit 31: 815
Nonadditivity of masking by narrow-band noises 31: 1053
Two-dimensional spatial distortions in human strabismic amblyopia 31: 1271
Discrimination of spatial phase shows a qualitative difference between foveal and peripheral processing 31: 1315
Spatial localization across channels 31: 1627
The effects of contrast, spatial scale, and orientation on foveal and peripheral phase discrimination 31: 1759

Visual field asymmetries in pattern discrimination: a sign of asymmetry in cortical visual field representation? 31: 1831
Judging object motion during smooth pursuit eye movements: the role of optic flow 31: 1893
Spatial-interval discrimination in two-dimensions 31: 1931
Flicker distorts visual space constancy 31: 2057
Efficiency of locating centres of dot-clusters by human observers 31: 2075

SPECTRAL SENSITIVITY
Separate processing of "color" and "brightness" in goldfish 31: 537
Ultraviolet photoreception in carp: microspectrophotometry and behaviorally determined action spectra 31: 567
A new template for rhodopsin (vitamin A_1 based) visual pigments 31: 619
The gecko visual pigment: the anion hypsochromic effect 31: 945
Psychophysical measurement of spectral sensitivity and color vision in red-light-reared tree shrews (*Tupaia belangeri*) 31: 1749
Color vision following intense green light exposure: data and a model 31: 1797
Spectral characteristics of photoreceptors and horizontal cells in the retina of the Siberian sturgeon *Acipenser baeri* Brandt 31: 2047
The invariance of unique white; a possible implication for normalizing cone action spectra 31: 2185

SPHERICAL ABERRATION (*see* ABERRATION)

STEREOPSIS
Depth attraction and repulsion in random dot stereograms 31: 805
Spatial frequency tuning of human stereopsis 31: 1177
On the coexistence of stereopsis and binocular rivalry 31: 1191
Systematic distortions of shape from stereopsis 31: 1351
Exploring the third dimension with eye movements: better than stereopsis 31: 1549
Sensory interactions during human fusional response 31: 1573
Stereopsis from motion-defined contours 31: 1611
Influence of remote objects on local depth perception 31: 1687
Seeing "ghost" planes in stereo vision 31: 1731
The cyclopean Ternus display and the perception of element versus group movement 31: 2085
Stereo-thresholds: simultaneity, target proximity and eye movements 31: 2093
Interocular correlation, luminance contrast and cyclopean processing 31: 2195

STILES-CRAWFORD EFFECT (*see* DIRECTIONAL SELECTIVITY)

STRABISMUS
Model of peripheral and amblyopic hyperacuity 31: 967
Two-dimensional spatial distortions in human strabismic amblyopia 31: 1271

SUMMATION, SPATIAL
Spatial summation of cone mechanisms in goldfish 31: 563
The relative contributions of pre-neural and neural factors to areal summation in the fovea 31: 1369

SUMMATION, TEMPORAL
Temporal summation in dark-adapted 10-week old infants 31: 1259
Temporal integration in cat visual cortex: a test of Bloch's law 31: 1517

SUPERIOR COLLICULUS (*see* OPTIC TECTUM)

SUPPRESSION
The site and nature of suppression in squint amblyopia 31: 111

TECHNIQUES
How thick should a retina be? A comparative study of mammalian species with and without intraretinal vasculature 31: 169
Spatial contrast sensitivity of goldfish: mean luminance, temporal frequency and a new psychophysical technique 31: 577
Dark adapted thresholds in young RCS rats 31: 637
Accurate control of contrast on microcomputer displays 31: 1337

A method for estimating the minimum visual stimulus that evokes a behavioural response in the drone, *Apis mellifera* 31: 1453
A programmable digital video pattern generator controlled by microprocessor for basic research and clinical applications 31: 1563

TEMPORAL DISCRIMINATION
The temporal integration and resolution of velocity signals 31: 907

TEMPORAL FREQUENCY (*see also* FLICKER)
The temporal properties of the human short-wave photoreceptors and their associated pathways 31: 189
The separability of temporal frequency and velocity 31: 321
The effect of spatial parameters on oscillatory movement displacement thresholds 31: 327
Spatial contrast sensitivity of goldfish: mean luminance, temporal frequency and a new psychophysical technique 31: 577
Temporal phase response of the short-wave cone signal for color and luminance 31: 787
Perceived speed of moving two-dimensional patterns 31: 877
Light adaptation and frequency transfer properties of cat horizontal cells 31: 1129
Temporal differences between color pathways within the retina as a possible origin of subjective colors 31: 1541

TEXTURE DISCRIMINATION
Different effects from spatial frequency masking in texture segregation and texton detection tasks 31: 299
Texture segregation and orientation gradient 31: 679
Texture segmentation and pop-out from orientation contrast 31: 1073
Spatial organization of nonlinear interactions in form perception 31: 1457
Segregation of some mesh-derived textures evaluated by free viewing 31: 1701
The role of colour as a monocular depth cue 31: 1923
Image segmentation and VEP topography 31: 2039

THRESHOLD (*see* CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRITANOPIA (*see* DICHROMACY)

VELOCITY (*see* MOVEMENT PERCEPTION)

VERNIER ACUITY (*see* HYPERACUITY)

VISUAL DIRECTION
The Aubert-Fleischl paradox does appear in visually induced self-motion 31: 845
Ocular proprioception and efference copy in registering visual direction 31: 1903

WAVELENGTH DISCRIMINATION (*see* COLOR DISCRIMINATION)

VISION RESEARCH

INSTRUCTIONS TO AUTHORS

General

Vision Research is a journal devoted to the functional aspects of human, vertebrate and invertebrate vision and publishes experimental and observational studies, reviews, and theoretical papers firmly based upon the current facts of visual science. The purpose of theoretical papers is to give a higher sense of order to the facts as they are presently known, or to point to new observations from which emergent knowledge may arise. Papers dealing with questions in the history of visual science should lay stress upon the history of ideas in this field. *Vision Research* has always welcomed the broadest interpretation of visual science. Clinical and *ad hoc* papers, however, will generally not be accepted.

Vision Research is also prepared to publish mini-reviews. A mini-review is not intended to be a comprehensive history of the subject, but rather a survey of recent developments in fast-growing and active areas of vision research covered over the last few years.

Research reports and Letters: Five double-spaced typewritten copies of the manuscripts and illustrations are required. The original plus 3 copies must be submitted to the central office:

Vision Research
P.O. Box 12011
1100 AA Amsterdam-Zuidoost
The Netherlands

and one copy to one of the six section Editors whose subject area most closely relates to the work submitted (please indicate to the central office which Section Editor you have selected):

Section 1

JOHN MAUNSELL
Department of Physiology
Box 642
University of Rochester
Rochester, NY 14642
U.S.A.

YUTAKA FUKUDA
Department of Physiology
Osaka University Medical School
2-2, Yamadaoka, Suita
565 Osaka
Japan

Section 2

DENNIS M. LEVI
University of Houston, Central Campus
College of Optometry
Calhoun Boulevard
Houston, TX 77004
U.S.A.

HAN COLLEWIJN
Department of Physiology I
Erasmus University Rotterdam
P.O. Box 1738
3000 DR Rotterdam
The Netherlands

Section 3

MICHAEL J. MORGAN
Department of Pharmacology
University of Edinburgh
1 George Square
Edinburgh EH8 9JZ
Scotland

ELLEN C. HILDRETH
Department of Computer Science
Wellesley College
Wellesley, MA 02181
U.S.A.

Authors are urged to be as concise as their material will allow, both in text and in illustrations and to take particular care to ensure that the paper is in final form once submitted. Papers of monograph length will not be considered, nor will a series of numbered papers.

All manuscripts should be accompanied by a clear statement that the work has not been published elsewhere and is not under review with another journal, and that if published in *Vision Research* it will not be reprinted elsewhere in any language in the same form without the consent of the publisher, who holds the copyright. Authors should keep copies of all material submitted. Manuscripts will not be returned, and top copies of the artwork will be returned only if this is specifically indicated.

Research reports will be judged by two qualified reviewers; *Letters* by only one reviewer to speed up publication. Authors volunteering to prepare *Mini-reviews* are invited to submit proposals to the appropriate Section Editor including the following information: (1) title, (2) justification for a mini-review at this time on the topic selected, (3) a rough outline and (4) a **firm** date for submission of the completed work, if the Editor accepts the proposal.

Specific

1. Papers should be written in the English language, accompanied by an abstract, and on the title page no more than 5 keywords and animal classification to serve as guidelines for abstracting and indexing. A running head of no more than 40 characters should be provided.
2. The abstract must be no longer than 100 words and should supplement the title informing the reader of the essential points of the paper.
3. The manuscript should be single-sided, double-spaced *typewritten* with generous margins. All material will be discarded **one month** after publication, unless the publisher is requested to return original material to the author.
4. Rejected manuscripts and figures will not be returned to authors, unless specifically required.
5. Reprints can be provided at a reasonable cost if ordered when the page proofs are returned. A reprint order form will accompany the proofs. Copies of the particular issue in which the article appears may also be ordered on this form, at a generous discount offer.
6. **Corrections to the proofs must be restricted to printer's errors.** Other than these, any substantial changes will be charged to the author.

7. When human subjects are used, manuscripts must be accompanied by a statement that the experiments were undertaken with the understanding and written consent of each subject. Authors should be aware of the Code of Ethics of the World Medical Association (Declaration of Helsinki), which has been printed in the British Medical Journal (18 July 1964). When experimental animals are used, the Methods section must clearly indicate that adequate measures were taken to minimize pain or discomfort. Experiments should be carried out in accordance with the European Communities Council Directive of 24 November 1986 (86/609/EEC) or with the Guidelines laid down by the NIH in the US regarding the care and use of animals for experimental procedures. Editors reserve the right to reject papers if there is doubt whether appropriate procedures have been used.
8. *References*
   (a) These should be cited in the text by giving the last name of the author (or authors) followed by the year of publication in parentheses, e.g. Hays (1963), Van den Brink and Bouman (1957) or (Zrenner & Gouras, 1981). If there are three or more authors, citations should read Kuhn, Bennett, Michel-Villaz and Chabre (1981), first citation; Kuhn *et al.* (1981), second citation. If there is more than one work by an author (or authors) in a given year, then they should be labelled alphabetically within each year (e.g. Rushton, 1965a,b).
   (b) The full references should be typed on a separate page and placed at the end of the article. They should not be given as footnotes. References should include the names of all the authors and their initials, the year of publication in parentheses, the full title of the article or book, name of the journal, the volume number and the pages. For books, the city of publication and the publisher should be given. The following may serve as illustrations:

   Zrenner, E. & Gouras, P. (1981). Characteristics of the blue sensitive cone mechanism in primate retinal ganglion cells. *Vision Research, 21*, 1605–1609.

   Semmlow, J. L. & Hung, G. K. (1983). The near responses: Theories of control. In Schor, C. M. & Ciuffreda, K. J. (Eds), *Vergence eye movements: Basic and clinical aspects* (pp. 175–195). London: Butterworths.

   (c) Unpublished work, work in press, or conference proceedings should be cited only exceptionally, and preprints *must* accompany the paper if they are essential to its argument.
9. *Illustrations and Tables*
   (a) Only standard size (*ca* $8\frac{1}{2} \times 12$ in.) should be sent with the paper. They should not be affixed in place, but the proper places for insertion should be indicated in the text. All photographs, graphs and diagrams should be referred to as "Figures" and should be numbered consecutively, as should the tables. The legends should be typed, correspondingly, on a separate sheet at the end of the article. The author's name, the number, and an indication of the proper orientation should be written lightly on the back of each figure or table. In the interests of economy and precision, tables should be submitted as illustrations: glossy, high-contrast, black-and-white photographs with lettering suitable for direct reproduction. In case of uncertainty please consult the Photoreprographic Unit of your institution.
   (b) Half-tone illustrations (e.g. micrographs) should be glossy prints and should be approximately 1.5 times the final size. In general, it is preferable that any lines or letters that are to appear on the photographs be inserted by the publisher. Their position should be drawn on a leaf of drawing paper firmly attached to the photograph, or on an additional print. Where possible, the author should include a guide to the Production Department which will help them identify the salient features to be reproduced.
   (c) Line drawings should be drawn on stiff white paper or tracing cloth, high quality computer graphics are acceptable. They should be approximately twice their final size. The letters and symbols should be drawn so that they will be clearly legible when reduced. The following standard symbols are readily available to the publisher: ○ △ □ ● ▲ ■ + ×. Other special symbols (e.g. Greek Letters) should be made particularly legible and explicit.
10. *Personal computers.* Authors with access to an Apple IIc, IIe, IBM PC or compatible personal computer can use Manuscript Manager/APA Style, a software program available from Pergamon Press Inc. that automatically formats manuscripts according to APA requirements. (For further information contact Marketing Manager, Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, NY 10523, U.S.A., Tel: (914) 592 7700.)

TYPESET IN GREAT BRITAIN BY BPCC TECHSET LTD, EXETER. PRINTED BY BPCC WHEATONS LTD, EXETER